

Gift of

Earl Blount

November 1957

CATALOGUE FOR 1848,
OF A FINE COLLECTION

OF

FLORICULTURAL, VEGETABLE,
AND AGRICULTURAL
SEEDS,

COMPRISING, IN ALL, UPWARDS OF
1500 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

German Asters, Stocks, Zinnias, Hollyhocks,
&c. &c. (Page 4);

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED
FAVOURITES, AND MANY NEW AND RARE SEEDS.

In giving orders for Flower Seeds it is quite sufficient to mention the numbers without the names; but as the numbers are changed every year, it is absolutely necessary to say from the Catalogue for 1848.

THE
LIST OF VEGETABLE SEEDS
WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.

TO BE HAD OF
JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

. The German Seeds are from the usual source.

Jan. 1, 1848.

[Entered at Stationers' Hall.]

THE NECESSARY EXPLANATIONS

Respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.
4th Column.—*Hardiness and Duration of each plant.*

h. *hardy*; lh. *half-hardy*; t. *tender*; F. *frame*; G. *greenhouse*; S. *Stove perennial*; a. *annual* (last 1 year); b. *biennial* (last 2 years); p. *perennial* (last many years).—Application: ha. *hardy annual*; lha. *half-hardy annual*; ta. *tender annual*; fa. *frame annual*; fgh. *frame or greenhouse*; ghl. and hgh. *green or hothouse*; sa. *stove annual*; lib. *hardy biennial*; lhb. *half-hardy biennial*, &c. &c.

5th Column.—*Colour*: bl. *blue*; b. & w. *blue and white*, &c.; d. *dark*; l. *light*; d. r. *dark red*; div. *diverse*, &c. &c.; stri. *striped*, &c.

6th Column.—*Usual height of the plant in feet*; tra. *trailer*; cl. *climber*.

7th Column.—*Usual month of flowering*: 6, June; 6-9, June to September, &c. &c.

8th Column.—*Price per Packet*. 6d. Packets may be had of those marked 3d., &c.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in March, April, or May, on a moderate hot-bed. Many of the Biennials and Perennials marked lh will stand the winter without protection; they, as well as the half-hardy Annuals, with few exceptions, may likewise be sown on a warm border early in May. The tender Annuals require more than one hot-bed.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; sp. species, var. variety.

The dots | ... | ... | ... | indicate a repetition; pl. *plures*, many; ex. from.

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

a. <i>Stamens (male organs) equal.</i>	c. <i>Stamens united in sets.</i>
No. 1. <i>Monandria</i> 1 <i>stamen</i>	16. <i>Monadelphia</i> , 1 <i>set</i>
2. <i>Dianandra</i> 2 <i>stamens</i>	17. <i>Diadelphia</i> , 2 <i>sets</i>
3. <i>Triandria</i> 3 "	18. <i>Polyadelphia</i> , many <i>sets</i>
4. <i>Tetrandria</i> 4 "	d. <i>Compound Flowers (Asters, &c.).</i>
5. <i>Pentandria</i> 5 "	19. <i>Syngenesia</i>
6. <i>Hexandria</i> 6 "	e. <i>Stamens on the style.</i>
7. <i>Heptandria</i> 7 "	20. <i>Gynandria</i>
8. <i>Octandria</i> 8 "	f. <i>Male and female separated.</i>
9. <i>Enneandria</i> 9 "	21. <i>Monoc'cia, on one plant</i>
10. <i>Decandria</i> 10 "	22. <i>Dice'cia, on different plants</i>
11. <i>Dodecadria</i> 12 to 19 S. in the cup	g. <i>Male, female, and hermaphrodite flowers, on one or different plants.</i>
12. <i>Icosandria</i> 20 or more S. on the base	23. <i>Polygàmia, many marriages</i>
13. <i>Polyandria, many Stamens</i>	h. <i>Flowers wanting, or incomplete.</i>
b. <i>Stamens unequal.</i>	24. <i>Cryptogàmia, hidden marriages (Ferns, Mosses, &c.).</i>
14. <i>Didynamia</i> , 2 long, 2 short	
15. <i>Tetradynamia</i> , 4 " 2 "	

II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.		No. 48. Polyandria, many stamens
No. 25. Monogynia . . . 1 style		c. On the sets of Stamens.
26. Digynia . . . 2 styles		49. Monadelphia, 1 set
27. Di-pentagynia 2 to 5 "		d. Styles and stamens united.
28. Trigynia . . . 3 "		50. Gynandria
29. Tetragynia . . . 4 "		e. Male and female separate.
30. Pentagynia . . . 5 "		51. Monoeia, on one plant
31. Hexagynia . . . 6 "		52. Dioecia, on different plants
32. Heptagynia . . . 7 "		f. On the Polygamy.
33. Deeagynia . . . 10 "		53. { Polygamia equivalis, or Equal Polygamy
34. Dodecagynia . . . 12 "		54. { Polygamia superflua Superfluous Polygamy
35. Polygynia many "		55. { Polygamia frustranea Frustrated Polygamy
b. On the Stamens (male organs).		56. { Polygamia necessaria Necessary Polygamy
36. Monandria . . . 1 stamen		57. { Polygamia segregata Separated Polygamy
37. Diandria . . . 2 stamens		g. On the Seeds.
38. Triandria . . . 3 "		58. { Gymnospermia Naked seeds
39. Tetrandria . . . 4 "		59. Angiospermia, in a capsule
40. Pentandria . . . 5 "		h. On the Pods.
41. Hexandria . . . 6 "		60. Siliculosa, a small pod
42. Heptandria . . . 7 "		61. Siliquosa, a long pod.
43. Octandria . . . 8 "		
44. Enneandria . . . 9 "		
45. Decandria . . . 10 "		
46. Dodecandria . . . 12 "		
47. Icosandria . . . 20 "		

III. The Natural Orders. (See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

62. Acanthaceæ	82. Crassulaceæ	102. Linaceæ	122. Primulaceæ
63. Amaranthaceæ	83. Cruciferæ	103. Loasaceæ	123. Protocæce
64. Amaryllidaceæ	84. Cucurbitaceæ	104. Lobeliaceæ	124. Ranunculaceæ
65. Apocynaceæ	85. Dipsacaceæ	105. Loranthaceæ	125. Rosaceæ
66. Aristolochiaceæ	86. Euphrasiaceæ	106. Lythraceæ	126. Rosaceæ
67. Asclepiadaceæ	87. Ericaceæ	107. Malvaceæ	127. Rubiaceæ
68. Balsaminaceæ	88. Euphorbiaceæ	108. Malvaceæ	128. Rutaceæ
69. Begoniaceæ	89. Ficoidæ	109. Myrtaceæ	129. Scrophulariaceæ
70. Bignoniacæ	90. Fumariaceæ	110. Nyctaginæ	130. Sesameæ
71. Boraginaceæ	91. Francoæ	111. Nympheæ	131. Silenaceæ
72. Caetaceæ	92. Gramineæ	112. Onagræ	132. Solanaceæ
73. Campanulaceæ	93. Gentianæ	113. Melanthiæ	133. Stylidiaceæ
74. Capparidaceæ	94. Geraniæ	114. Papaveraceæ	134. Thymelæ
75. Caprifoliaceæ	95. Gesneræ	115. Passifloræ	135. Tropaeolæ
76. Cistaceæ	96. Hydrophylliæ	116. Pittosporaceæ	136. Umbelliferae
77. Cobrebæ	97. Iridæ	117. Plumbaginæ	137. Valerianæ
78. Commelinaceæ	98. Labiatæ	118. Polemoniæ	138. Verbenæ
79. Compositæ	99. Leguminosæ	119. Polygalæ	139. Violaceæ
80. Coniferae	100. Liliaceæ	120. Polygonaceæ	140. Magnoliæ
81. Convolvulaceæ	101. Linnæanthæ	121. Portulacæ	141. Zygophyllaceæ

The names of the Natural Orders ending in ACEÆ are chiefly derived from Generic Names, as CAMPANULACEÆ from CAMPANULA; such as end in A only are not, as COMPOSITEÆ, LABIATÆ, &c.

**ASSORTMENTS
OF
GERMAN FLOWER SEEDS
IN THE ORIGINAL SEALED PACKETS.**

These Seeds warranted to equal, if not surpass, any in the Kingdom.

No.	<i>h. signifies hardy; hh. half-hardy.</i>				s. d.	
1	24	splendid varieties of German Aster, separate, <i>hh.</i>	6 0	
2	24	do. do. do. do.	<i>smaller packets</i>	3 0		
3	12	superb new Globe	do.	do.	3 0	
4	12	do. do. do. do.	<i>smaller packets</i>	1 6		
5	14	new double Pyramidal	do.	do.	3 6	
6	14	do. do. do. do.	<i>smaller packets</i>	1 9		
7	10	new Globe Pyramidal	do.	do.	4 0	
8	10	do. do. do. do.	<i>smaller paekets</i>	2 0		
9	60	splendid German Aster, comprising Nos. 1, 3, 5, 7,	16 0	
10	60	do. do. do. Nos. 2, 4, 6, 8, <i>smaller packets</i>	8 0	
11	30	do. do. half of No. 9	8 0	
12	30	do. do. do.	<i>smaller packets</i>	4 6		
13	16	beautiful new dwarf German Aster, separate.....	4 0	
14	16	do. do. do. do.	<i>smatter paekets</i>	2 0		
15	24	extra fine dwarf German Stock, separate	8 0	
16	24	do. do. do. do.	<i>smaller packets</i>	4 0		
17	12	finest branching Nosegay do. do.	4 0	
18	12	do. do. do.	<i>smaller paekcts</i>	2 0		
19	12	very fine wallflower-leaved or Prussian Stock, separate.....	3 6	
20	12	do. do. do. do. do.	<i>smaller paekets</i>	2 0		
21	60	fine German Stock, comprising Nos. 15, 17, 19	17 6	
22	60	do. do. do. separate	<i>smaller paekets</i>	8 0		
23	30	do. do. do. the half of No. 21.....	9 0	
24	30	do. do. do. separate	<i>smaller paekets</i>	5 0		
25	12	beautiful German Stock, all dwarf	5 0	
26	12	do. do. do. do.	<i>smaller paekets</i>	2 6		
27	12	finest double dwarf Rocket Larkspur, <i>h.</i>	3 0	
28	8	do. do tall do. <i>h.</i>	2 0	
29	12	extra fine double Poppy, <i>h.</i>	2 6	
30	20	beautiful double Balsam, <i>hh.</i> or <i>greenhouse</i>	5 0	
31	24	splendid Zinnia elegans, <i>hh.</i>	8 0	
32	12	do. do.	5 0	
33	12	finest varieties of Marygold, <i>hh.</i>	3 0	
34	8	do. Eichrysum or Xeranthemum, <i>hh.</i>	3 6	
35	10	beautiful Salpiglossis, <i>hh.</i>	3 6	
36	12	extra fine new varieties of Phlox Drummondii, <i>hh.</i>	5 0	
37	12	finest biennial Stock, <i>hh.</i>	3 0	
38	12	do. do.	<i>smaller packets</i>	2 0		
39	16	superb new Wallflower, <i>h.</i>	7 6	
40	16	do. do.	<i>smaller packets</i>	4 0		
41	10	splendid new Scabious, <i>h.</i>	3 6	
42	10	extra fine double Hollyhock, <i>h.</i>	6 0	
43	20	do. do.	3 0	
44	10	beautiful new Petunia, <i>hh.</i>	3 0	
45	12	finest new Antirrhinum, <i>h.</i>	3 0	

Explanations.—Nos. 1 to 35 are annuats; the remainder biennials or perennials.
Other assortments will be found at page 27.

CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, *Campanula*, 5, 25, 73, belongs to the 5th Linnean Class, *Pentandrii*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (*Pistillum*); and to the Natural Order *Campanulaceæ*, plants with Bell-shaped Flowers. See page 8.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus Ageratum mexicanum is rendered Mexican Ageratum, &c.—In giving orders it is sufficient to mention the numbers and date of the Catalogue, 1848.

No.	Scientific Name.	Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>									
<i>THE ACCENTS.</i>									
46	<i>Abrns precatòrius</i> **	(sacred)	16 44	99	S.	pur.	10	4-6	6
47	<i>Acàcia pulchella</i>	<i>pretty</i>	23 51	...	G.	yel.	5	6-8	6
48	12 species	(12 fine sp. m.)	y&w	4-6	...	1 0
49	<i>Achimenes</i> , pl. spècies	several species	14 59	95	...	div.	1	6-9	1 0
50	<i>Adenóphora snavéolens</i>	<i>fragrant</i>	5 25	73	hp†	l. b.	2	6-8	3
51	3 spècies	(3 fine sp. m.)	bl.	3
52	<i>Adònìs vernális</i>	<i>vernal</i>	13 35	124	...	yel.	1	4-5	3
53	<i>Agathæa spatulàta</i>	<i>spatulate</i>	19 54	79	ha	bl.	2	7-8	3
54	<i>Ageratùm mexicànum</i>	<i>Mexican</i>	...	53	3
55	<i>odorátum</i>	<i>fragrant</i>	3
56	<i>Alonsòa grandiflòra</i>	<i>large-flowered</i>	14 59	129	hhp†	sc.	1	6-9	6
57	— — —	<i>finest mixed</i>	o & s.	6
58	<i>Alstroemèria aurantiàca</i>	<i>orange</i>	6 25	64	hp†	or.	2½	6-8	6
59	<i>Barclayàna</i>	<i>Barclay's</i>	hlp†	b. o.	2	...	6
60	<i>bicolor</i>	<i>two-coloured</i>	var.	6
61	<i>Hookèri</i>	<i>Sir W.J. Hooker's</i>	l. c.	6
62	<i>pallida</i>	<i>pale</i>	pink	6
63	<i>Pelegrina</i>	(striped)	stri.	6
64	— <i>alba</i>	<i>white</i>	wh.	6
65	<i>pulchella</i>	<i>pretty</i>	hp†	sc.	6
66	<i>tricolor</i>	<i>three-coloured</i>	hhp†	w p y	6
67	<i>van Houttii</i>	(hybrid, 25 var.)	div.	1 0
68	— — —	6 finest sp. sep.	2 6
69	— — —	<i>fine mixed</i>	6
70	<i>Alyssum saxátile</i>	<i>rock</i>	15 60	83	hp†	yel.	1	4-6	3
71	3 spècies, m.	(3 fine species m.)	y & w	3
72	<i>Amaranthus bicolor</i>	<i>two-coloured</i>	21 40	63	ta	var.	...	7-8	3
73	<i>tricolor</i>	<i>three-coloured</i>	3

No.	<i>A—indicates a variety. () That the word is not literally translated, or is superadded.</i>	L. Cl.	L. Q.	N. Q.	H. & Dur.	Col. of Fl.	Height	M. of Flow.	s. d.	Price
74	<i>Amaranthus speciosus</i>	<i>showy</i>	21	40	63	hha	pur.	2	7-8	3
75	<i>Amethystea cærulaea</i>	<i>blue</i>	2	25	98	ha	bl.	3
76	<i>Anagallis indica</i>	<i>Indian</i>	5	...	122	1	6-7	3
77	<i>grandiflora</i>	<i>large-flowered</i>	fgh	red	...	6-9	6
78	<i>— cærulaea</i>	<i>large blue</i>	bl.	6
79	<i>— — —</i>	<i>finest mixed</i>	div.	6
80	<i>Anchusa capensis</i>	<i>Cape</i>	71	hhpt	bl.	2	...	3
81	<i>ochroleuca, var. italicica</i>	<i>Italian</i>	p. y.	1	6-8	3
82	<i>Anemone coronaria</i>	(<i>Poppy Anemone</i>)	13	35	124	...	div.	...	5-7	6
83	<i>Hudsoniana</i>	(<i>Hudson's Bay</i>)	wh.	6
84	<i>narcissiflora</i>	<i>Narcissus-flowered</i>	6
85	<i>Pulsatilla</i>	(<i>Pasque-flower</i>)	vio.	½	...	3
86	<i>vitifolia</i>	<i>vine-leaved</i>	wh.	2	7-8	3
87	<i>— — —</i>	(4 alpine sp. m.)	div.	¾	5-6	6
88	<i>Andrea Dilleniana</i>	<i>Dillenius's</i>	16	48	108	ha	bl.	1½	7-8	3
89	<i>Anomathaea cruenta</i>	<i>deep red</i>	3	25	97	hhpt	red	1	6-8	3
90	<i>Anthemis purpurea</i>	<i>purple</i>	19	54	79	ha	pur.	1½	7-8	3
91	<i>Anthéricum annuum</i>	<i>annual</i>	6	25	100	...	yel.	¾	7-8	3
92	<i>liliastrum</i>	<i>lily-like</i>	hp	wh.	2	5-6	6
93	<i>Aquilegia alpina</i>	<i>alpine</i>	13	30	124	hp†	bl.	1	5-7	3
94	<i>canadensis</i>	<i>Canadian</i>	r&o.	1½	...	3
95	<i>— elatior</i>	<i>taller</i>	2	...	3
96	<i>formosa</i>	<i>beautiful</i>	1½	...	6
97	<i>Skinneri</i>	<i>Skinner's</i>	6
98	<i>glandulosa</i>	<i>glandular</i>	w&b	6
99	<i>sibirica</i>	<i>Siberian</i>	bl.	3
100	<i>viridiflora</i>	<i>green-flowered</i>	gr.	3
101	<i>— — —</i>	6 fine sp. sep.	div.	1-2	...	1
102	<i>Arabis rosea</i>	<i>finest mixed</i>	6
103	<i>Arabis rosea</i>	<i>rose</i>	15	61	83	...	rose	1	...	3
104	<i>— — —</i>	(3 fine species)	var.	3
105	<i>Ardisia crenulata</i>	<i>crenulated</i>	5	25	G.	red	8	7-9	6	
106	<i>Arenaria, 2 sp.</i>	(2 alpine species)	10	28	131	hp	...	1	6-7	3
107	<i>Argemone grandiflora</i>	<i>large-flowered</i>	13	25	114	ha	wh.	2	7-8	6
108	<i>mexicana</i>	<i>Mexican</i>	yel.	3
109	<i>ochroleuca</i>	<i>yellowish white</i>	eica.	3
110	<i>— — —</i>	<i>fine mixed</i>	div.	3
111	<i>Aristolochia siphon**</i>	<i>tube</i>	20	41	66	hp	y.br.	cl.	...	6
112	<i>Asclepias curassavica</i>	<i>Curassao</i>	5	26	67	G.	sc.	2½	...	6
113	<i>tuberosa</i>	<i>tuberous</i>	hp†	br.p.	6
114	<i>Aster alpinus</i>	<i>alpine</i>	19	54	79	...	pur.	¾	5-8	3
115	<i>Amellus</i>	<i>Amellus</i>	1¼	7-9	3
116	<i>tenellus*</i>	<i>slender</i>	bt.	1	7-8	6
117	<i>Athanasia annua</i>	<i>annual</i>	...	53	...	ha	yel.	½	...	3
118	<i>Aulax, 2 sp. eximiae</i>	(2 choice species)	22	39	123	G.	...	2	7-9	1
119	<i>Azalea, pl. sp. ex.</i>	<i>choice mixed</i>	5	25	87	...	div.	div.	5-7	1
120	<i>Balsamina latifolia</i>	<i>broad-leaved</i>	...	30	69	...	red	...	6-9	6
121	<i>Bartonia aurea</i>	<i>golden</i>	13	25	103	ha	yel.	2	7-9	3
122	<i>Begonia, pl. species</i>	<i>mixed</i>	21	48	69	G.	div.	6
123	<i>Bellis perennis, fl. pl.</i>	<i>Double Daisy</i>	19	54	79	hp†	...	½	4-7	6

CARTER'S CATALOGUE OF SEEDS FOR 1848.

7

No.	<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.	Li.	Cl.	L.O.	N.O.	H. & Dur.	Col. of Fl.	feet	M. of Flow.	Price.	s.d.		
								Li.	W.H.	tr.	cl.	7-9	6
124	Bignonia, 3 species**		<i>fine mixed, 3 sp.</i>	14	59	70	G.	o & y					
125	Blumenbachia insignis		<i>beautiful</i>	18	48	103	ha	wh.					6
126	Bomaria variabilis**		<i>variable</i>	6	25	64	hfp†	div.					6
127	— 2 sp. ex. Boliviana**		<i>2 Bolivian sp.</i>	1	0	
128	Brachycione iberidifolia		<i>Iberis-leaved</i>	19	54	79	hha	bl.	2			6
129	— alba		<i>white</i>			6
130	— albo-lilacina		<i>white and lilac</i>	w & l			6
131	— — —		<i>30 new vars.</i>	div.	1	6	
132	— — —		No. 128 to 131 incl.	2	6	
133	Brodiaea congesta		(<i>bunch-flowered</i>)	3	25	100	hp	bl.	1	7-8			6
134	Browallia demissa		<i>dwarf</i>	14	59	129	G.			3
135	elata		<i>tall</i>	2			3
136	— alba		<i>white</i>	wh.			3
137	Brugmansia arborea		<i>tree-like</i>	5	25	132	s & y.	6	7-9	1	0	
138	bicolor		<i>two-coloured</i>	wh.	8	1	0		
139	Cacalia coccinea*		<i>scarlet</i>	19	53	79	hha	sc.	1	7-8			2
140	— aurea*		<i>orange</i>	or.			3
141	Cactus, 30 species		(<i>30 fine species</i>)	12	25	72	G.	div.	div.	5	0	
142	— — —		<i>finest mixed</i>	1	0	
143	Calampelis seabra**		<i>rough (padded)</i>	14	59	70	hlp	or.	cl.	6-8			6
144	Calandrinia discolor		<i>two-coloured</i>	11	25	121	hha	rose	2	7-8			6
145	grandiflora		<i>large-flowered</i>	p. r.			3
146	speciosa*		<i>showy</i>	pur.	½			3
147	umbellata		<i>unbellied</i>			3
148	Calecolatia pinnata		<i>pinuate</i>	2	...	129	yel.	1½			3
149	2 sp. ex. Bolivia		(<i>2 Bolivian sp.</i>)	ghh	y & r.	2	1	0	
150	— — —		<i>splendid mixed</i>	div.	6-9	1	6	
151	Callichroa platyglossa		(<i>broad-rayed</i>)	19	56	79	hha	yel.	1	7-8			3
152	Calliopsis (<i>Coreopsis</i>)		(<i>finest mixed</i>)	55	div.	2			6
153	bicolor		<i>two-coloured</i>	y & d.			3
154	— atrosanguinea		<i>dark red</i>	red			3
155	— fistulosa		<i>quilled</i>	y & d.			3
156	— grandiflora		<i>large-flowered</i>			3
157	— nigra speciosa		<i>splendid dark</i>	dark			3
158	— semiplena		<i>semi-double</i>	y & r.			3
159	Drummondii		<i>Drummond's</i>	y & d.	i			3
160	Campanula carpatica*		<i>Carpathian</i>	5	25	73	hp†	bl.	½			3
161	carpatica alba		<i>white</i>	wh.			3
162	grandiflora		<i>large-flowered</i>	bl.	1			6
163	grandis		<i>grand</i>			6
164	macrantha		<i>long-flowered</i>	pur.	3			3
165	macrostachys		<i>long-spiked</i>	bl.	1½			3
166	pulcherrima		<i>beautiful</i>	1			6
167	pyramidalis		<i>pyramidal</i>	4			3
168	— alba		<i>white</i>	wh.			3
169	stricta		<i>upright</i>	bl.	1½			3
170	Trachelium, 3 var.		(<i>3 fine var. mix.</i>)	v & b	2½			6
171	— — —		6 fine sp. sep.	div.	div.			6
172	— — —		<i>finest mixed</i>			6
173	Lorei*		<i>Lore's</i>	ha	bl.	1			3

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col.	of Fl.	feet	s. d.	Price.
174	Campáuula Lòrei alba*	white	5 25	73	ha	wh.	1	7-8	3	
175	pentagònia	five-angled	bl.	3	
176	— alba	white	wh.	3	
177	Canna coccinea	scarlet	1	107	S.	sc.	3	...	3	
178	iridiflòra	Iris-flowered	10 53	99	G.	yel.	4	7-9	6	
179	Cassia eorymbòsa	bunch-flowered	14 59	129	hh	...	2	7-8	1 0	
180	Castilleja lithospermoides	Lithospernum l.	14	59	129	...				
181	Catananche lùtea	yellow	19 53	79	ha	yel.	1	...	3	
182	cærulea	blue	hb†	bl.	2	...	3	
183	— bicolor	white	w&b	3	
184	Celsia arcturus	Areturus	14 59	132	fgh	yel.	1½	...	6	
185	crítica	Cretan	hp†	...	5	...	3	
186	incarnàta	flesh-coloured	fgh	fl.	1½	...	6	
187	orientàlis	oriental	ha	yel.	6	
188	Centaurea americana	American	19 55	79	fgh	red	2	9-10	6	
189	atropurpurea	dark purple	hp†	d. p.	...	7-8	3	
190	depressa	dwarf	ha	bl.	1	...	3	
191	lùtea	yellow	yel.	1½	...	3	
192	splendens deusta	splendid	hb†	red	2	...	3	
193	Chenostoma polyanthum	many-flowered	14 59	129	hh	li.	½	...	6	
194	Chelone barbata	bearded	hp†	se.	2	...	6	
195	campanulata	bell-flowered	bl.	3	
196	— alba	white	wh.	3	
197	glauca	glauceanus	6	
198	Chirónia, 3 spècies	(3 fine species)	5 25	93	G.	div.	6	
199	Chorozéma spectabilis	showy	10	...	fgh	var.	3	6-8	6	
200	Cineraria cruenta, pl. var.	(splend. m. 50 v.)	19 54	79	...	div.	2	5-6	1 6	
201	— azúreca	azure	bl.	6	
202	Cistus, pl. sp.	(finest mixed)	13 25	76	hhp†	div.	...	6-9	6	
203	Cladanthus arábicus	Arabian	19 54	79	ha	yel.	1	7-8	3	
204	Clarkia gauraëdes	Gaura-like	8 25	112	...	mul.	1½	...	3	
205	elegans	elegant	li.	3	
206	— ròsca	rose-coloured	rose	3	
207	— flòre plèno	double	r.&l.	3	
208	pulechella	pretty	pink	1	...	3	
209	— alba	white	wh.	3	
210	— grandiflòra	large-flowered	red	3	
211	— — —	fine mixed	w&r	3	
212	Clématis flammula	(fragrant)	13 35	124	hhp	wh.	cl.	7-9	6	
213	4 species	(4 fine species)	13	4	6-8	6	
214	Cleòme pentaphylla	five-leaved	15 61	74	hha	...	2	7-8	6	
215	spinosa	spiny	rose	6	
216	— — —	mixed	w&r	6	
217	Ciantis punicæns	crimson	17 45	99	hhp	er.	6	...	6	
218	Clintonia elegans	elegant	16 40	104	hha	bt.	1½	...	3	
219	pulchella	pretty (extra)	3eol.	1	...	6	
220	Cobaea scaudens**	climbing	5 25	77	G.	pur.	cl	7-9	6	
221	Collomia grandiflora*	large-flowered	14 59	129	ha	p&b	1	7-8	3	
222	bicolor*	two-coloured	w&p	1½	...	3	
223	— atrorubens*	dark red	red	1	...	6	

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	feet	height.	M. of Flow.	Price.
224	<i>Collinsia bicol. ruthénica</i>	<i>Russian</i>	14 59	129	ha	r & p	1½	7-8	3	
225	<i>Collomia coccinea</i>	<i>scarlet</i>	5 25	118	...	sc.	1	...	3	
226	<i>Commeñina cælestis</i>	<i>sky-blue</i>	3 ...	78	hhp†	bl.	1½	...	3	
227	— <i>albiflora</i>	<i>white</i>	wh.	6	
228	<i>tuberòsa</i>	<i>tuberous</i>	bl.	3	
229	<i>Correa, 2 species</i>	(2 fine species)	8 ...	128	G.	var.	5	5-7	6	
230	<i>Corydalis glauca</i>	<i>sea-green</i>	17 41	90	ha	p&y.	2	7-8	3	
231	<i>Cótula aurea*</i>	<i>golden (yellow)</i>	19 53	79	...	yel.	tr.	...	3	
232	<i>coronopifolia*</i>	<i>buck's-horn-ld.</i>	3	
233	<i>Cosmanthus fimbriatus</i>	<i>fringed</i>	5 25	96	hha	6	
234	<i>Cosinæa bipinnata</i>	<i>bi-pinnate</i>	19 55	79	...	pur.	2½	8-9	6	
235	<i>Crœus vernus</i>	<i>vernal</i>	3 25	97	hp	div.	¾	3-4	6	
236	<i>Crotalaria elegans</i>	<i>elegant</i>	16 45	99	G.	yel.	3	6-8	1 0	
237	<i>latifolia</i>	<i>broad-leaved</i>	6	
238	<i>Crucianella stylosa</i>	<i>long-styled</i>	4 25	127	hp†	pink	¾	...	3	
239	<i>Cùphea strigulosa</i>	<i>strigulose</i>	11 ...	106	hh	s.&y.	1½	7-8	6	
240	<i>platycentra</i>	<i>broad-centred</i>	sc.	1	...	6	
241	<i>silenoïdes</i>	<i>Silene-like</i>	pur.	2	...	6	
242	<i>Cy'clamen persicum</i>	<i>Persian</i>	5 ...	122	hlp	rose	¾	6-9	6	
243	— — —	<i>fine mixed</i>	hp	r & w	6	
244	<i>Cyclanthera pedata</i>	<i>pedate-leaved</i>	21 49	84	hh	cl.	7-8	6		
245	<i>Cynoglossum glochidiatum</i>	<i>glochidiate</i>	5 25	71	hp	bl.	3	...	3	
246	<i>tricoloratum</i> [tun]	<i>three-coloured</i>	3 col.	3	
247	<i>Cytisus argenteus</i>	<i>silvery (leaved)</i>	16 45	99	...	yel.	4	5-7	3	
248	<i>capitatus</i>	<i>headed</i>	3	
249	<i>nigricans</i>	<i>blackish</i>	3	...	3	
250	sp. <i>sempervirens</i>	<i>ever-green</i>	4	...	3	
251	<i>Dalilia repens</i>	<i>creeping</i>	19 54	79	hp†	pur.	1½	7-9	6	
252	<i>variabilis</i>	(double mixed)	div.	3	...	6	
253	<i>Datūra ceratocaula</i>	<i>horn-stalked</i>	5 25	132	hha	stri.	2½	7-8	6	
254	<i>fastuosa</i>	<i>showy</i>	b&w	2	...	6	
255	<i>Daubentonia Tripetiæna</i>	<i>Mons. Tripet's</i>	17 45	99	S.	2	6	
256	<i>Delphinium amoenum</i>	<i>pleasing</i>	13 28	124	hp†	bl.	3	7-9	3	
257	<i>azurennum</i>	<i>azure</i>	az.	2	...	3	
258	<i>chinense</i>	<i>Chinese</i>	bl.	1½	...	3	
259	— <i>album</i>	<i>white</i>	wh.	3	
260	— — —	<i>finest mixed</i>	div.	6	
261	— — —	10 var. <i>separate</i>	3 0	
262	<i>grandiflorum</i>	<i>large-flowered</i>	bl.	3	
263	<i>lazulinum</i>	<i>lazuline</i>	2	...	3	
264	<i>splendidum</i>	<i>splendid</i>	6	
265	<i>triste</i>	<i>drooping</i>	br.	3	
266	<i>velutinum</i>	<i>velvety</i>	bl.	3	
267	— — —	<i>fine mix'd, 12 sp.</i>	div.	2-3	...	6	
268	<i>Dianthus atrorubens</i>	<i>dark red</i>	10 26	131	...	red	1	...	3	
269	— <i>atropurpureus</i> , fl. pl.	<i>dou. dark purple</i>	d.p.	...	6-8	6	
270	— <i>atrovioletaceus</i> , fl. pl.	<i>dou. dark violet</i>	d.v.	6	
271	<i>barbatus</i> , pl. var.	<i>Sweet William, m.</i>	hp	div.	1½	...	3	
272	— <i>coccineus</i>	<i>scarlet</i>	sc.	6	
273	— <i>kermesinus</i>	<i>crimson</i>	cri.	6	

No.		<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.	C.	L.	L.O.	N.O.	H. & Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
274	Dianthus barbatus, fl. pl.	<i>Sweet William, d.</i>	10	26	131	hp	div.	1 $\frac{1}{4}$	6-8	6	s.d.	6
275	Caryophyllus	<i>Carnation</i>				2	...	3		3
276	— flôre-plêno	<i>double</i>				1	0	0
277	— — —	<i>finest German</i>				2	6	6
278	— — —	<i>Picotee, double</i>				1	0	0
279	— — —	<i>finest German</i>				2	6	6
280	chinensis	<i>Chinese, 20 var.</i>				hb†		1	...	6		6
281	— flôre-albo	<i>white-flowered</i>				wh.	...	6		6
282	— flôre-plêno	<i>double-flowered</i>				div.	...	6		6
283	decussatus	<i>decussate</i>				hb†		3		3
284	deltoides	<i>(Maiden)</i>				red	$\frac{3}{4}$...		3
285	floribundus	<i>many-flowered</i>				3		3
286	Garnérianns	<i>Garnier's</i>				6		6
287	gigantens	<i>gigantic</i>				red	4	...		3
288	guttatus*	<i>spotted</i>				sp.	$\frac{3}{4}$...		6
289	hispanicus	<i>Spanish</i>				hb†	red	1	...	3		3
290	— splendens	<i>splendid</i>				sc.	...	6		6
291	hyssopifolius	<i>hyssop-leaved</i>				hb†	pink	3		3
292	imperialis	<i>imperial (new)</i>				hb†	div.	6		6
293	japonicus	<i>Japan</i>				hb†	sc.	6		6
294	latifolius	<i>broad-leaved</i>				div.	...	3		3
295	monspessulanus	<i>Montpelier</i>				red	$\frac{3}{4}$...		3
296	moschatus	<i>pink</i>				hp	w&p	1	...	3		3
297	— flôre-plêno	<i>(finest double)</i>				1	0	0
298	plumarius, fl. pl.	<i>double-feathered</i>				div.	$1\frac{1}{2}$...		3
299	polymorphus	<i>various-shaped</i>				w&p	1	...		3
300	pulchellus	<i>pretty</i>				hb†	div.	6		6
301	superbus	<i>superb</i>				hb†	li.	$1\frac{1}{2}$...	3		3
302	— — —	<i>12 fine species</i>				div.	div.	1	...	3	6	6
303	Didiscus cæruleus	<i>bl. (Trachymene)</i>	5	25	136	hha	bl.	2	7-8	6		6
304	Digitâlis aurea	<i>golden (Foxglove)</i>	14	59	129	hp†	yel.	$1\frac{1}{3}$	7-9	3		3
305	graudiflora	<i>large-flowered</i>				3		3
306	lanata	<i>woolly</i>				buff	2	...		3
307	purpurea	<i>purple</i>				pur.	3	...		3
308	— alba	<i>white</i>				wh.	...	3		3
309	— bicornuta	<i>two-horned</i>				3		3
310	— punctata	<i>spotted</i>				sp.	...	3		3
311	— röscä	<i>rose-coloured</i>				rose	...	3		3
312	— — —	<i>finest mixed</i>				div.	...	6		6
313	Dillwy'nia glycinitolia	<i>Glycine-leaved</i>	10	25	99	G.	o & r.	2	4-6	6		6
314	Diplacus puniceus	<i>erimson</i>	14	59	129	blhp†	sc.	...	7-8	6		6
315	Dodecatheon Meadia	<i>Meadia</i>	5	25	122	G.	div.	1	...	6		6
316	Dôlichos lignosus	<i>lignous</i>	17	45	99	...	pur.	cl.	6-8	6		6
317	Dracocéphalum altaicum	<i>Altaiian</i>	14	58	98	hp†	...	$\frac{1}{2}$...	3		3
318	argunense	<i>Argun</i>				bl.	1	...		6
319	canariense	<i>(Balm of Gilead)</i>				r&p.	2	...		3
320	superbum	<i>superb</i>				hp†	bl.	6		6
321	Echium grandiflorum	<i>large-flowered</i>	5	25	71	ha	7-8	3		3
322	Elichrysum macranthum	<i>long-flowered</i>	19	54	79	hha	rose	3		3
323	— bicolor-plenum	<i>two-coloured, d.</i>				w & r		6

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
							feet	s. d.	
324	Elichry'ssum robustum	(superb yellow)	19 54	79	lha	yel.	2	7-8	6
325	— — —	fine mixed	div.	6	
326	— — —	6 sp. Greenhouse	G.	w&y	1 0	
327	Epilòbiuum, 2 spèces	(2 fine species)	8 25	112	hp†	3	
328	Erica coccinea	scarlet	87	G.	sc.	2	7-8	6
329	lùtea	yellow	yel.	4-6	6
330	Monsoniàna	Lady Monson's	wh.	7-8	6
331	Petivèrii	Petiver's	yel.	5-6	6
332	Plukènètii	Plukenel's	red	6
333	purpùrea	purple	pur.	7-8	6
334	spicàta	spiked	l. y.	6
335	versicolor	various-coloured	o. r.	6
336	— — —	40 sp. separate	div.	div. 15	0
337	— — —	20 do. do.	7	6
338	— — —	30 sp. mixed	2	6
339	Erimùs alpinus	alpine	14 59	129	hp†	li.	4	4-6	3
340	Eròdium grñinum	crane	16 40	94	ha	bl.	1	7-8	3
341	Eryngium giganteum	gigantic	5 26	136	hp	3	7-9	6
342	Erysimum Perofskianum	Peroffski's	15 61	83	ha	or.	1 $\frac{1}{4}$	6-8	3
343	Eschscholtzia cròcea	orange	13 29	114	hp†	1 $\frac{1}{2}$	6-7	3
344	californica	Californian	yel.	3
345	compacta	compact	3
346	Encharidium concinnum	neat	8 25	112	ha	pnr.	1	7-8	3
347	grandiflorum	large-flowered	3
348	Euphorbia variegàta	variegated	11 28	88	var.	8-9	6
349	Eutòea multiflòra	many-flowered	5 25	96	lav.	7-8	3
350	viscida	viscid	bl.	3
351	Wrangeliàna	W'rangel's	li.	3
352	Francòa appendiculata	appendiced	8 29	91	hp†	pink	2	3
353	Fritillaria imperialis	(Crown Imperial)	6 25	100	hp	div.	3	6
354	melèagris	(Fritillary)	1	6
355	Fuchsia ly'brida	finest hybrid	8	112	fgh	2	1 6
356	Galèga orientalis	oriental	16 45	99	hp†	bl.	3	6-9	6
357	Gaillardia picta	painted	19 55	79	lha	y & s.	1 $\frac{1}{2}$	7-9	6
358	— coccinea	scarlet	sc.	6
359	— nàna	dwarf scarlet	tr.	6
360	— uòva —	new dwarf	y & e	6
361	— — —	4 fine sp. m.	hp†	div.	2	6
362	Gardénia, 2 sp. ex.	2 fine species	5 25	127	G.	p&w	6	3-7	1 0
363	Gentiana acaulis*	stemless	26 93	hp†	bl.	1 $\frac{1}{2}$	4-7	6
364	Amarella	Amarella	ha	pur.	7-8	6
365	asclepiàdea	Asclepias-like	hp	bl.	1	6
366	campestris	field	ha	pur.	1 $\frac{1}{2}$	6
367	Catesbæi	Catesby's	hp	bl.	1 $\frac{1}{4}$	6-7	6
368	cruciàta	crossed	d. b.	1	6
369	ly'brida	hybrid	y & p	2 $\frac{1}{2}$	6
370	macrophylla	long-leaved	d. b.	1	6
371	punctàta	spotted	yel.	3	6
372	purpurea	purple	pur.	6
373	Saponària	Saponaria-leaved	bl.	2	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	C.	L.	O.	N.O.	H.	&	C.L.	of fl.	height	M.	of	Flow.	Price.
374	Gentiana verna	<i>vernal</i>	5	26	127	hp†	bl.	½	4-5	6	s. d.				
375	utriculosa	<i>bladdery</i>	pur.	½	6					
376	— — —	<i>finest mixed</i>	h	div.	div.	4-8	6					
377	Geranium, 3 species	<i>3 species, m.</i>	16	42	94	lhlp	7-8	6					
378	Gesneria, pl. sp. ex.	(choice mixed)	14	59	95	S.	o.&s.	1½	6-8	1	0				
379	Géum coccineum	<i>scarlet</i>	12	35	126	hlpt†	sc.	2	3					
380	chiloense major	<i>larger Chilian</i>	6					
381	rivale	<i>river</i>	yel.	1	3					
382	sanguineum	<i>blood-red</i>	cr.	1½	6					
383	— — —	<i>4 fine sp. mixed</i>	div.	6					
384	Gilia achilleifolia	<i>Milfoil-leaved</i>	5	25	118	ha	bl.	7-8	3					
385	capitata	<i>headed</i>	b&w	3					
386	nivalis	<i>snow-white</i>	wh.	3					
387	tricolor	<i>three-coloured</i>	3 col.	1	3					
388	— albo-exerulea	<i>white and blue</i>	w& b.	3					
389	— splendens	<i>splendid</i>	rose	3					
390	— — —	<i>fine mixed</i>	div.	3					
391	Gladiolus floribundus	<i>bunch-flowered</i>	3	..	97	lhlp	w& p.	2½	3					
392	Herbicianus	<i>Hom. W. Herbert's</i>	div.	2	1	0				
393	Glancium Fischerianum	<i>Dr. Fisher's</i>	13	35	114	ha	1½	3					
394	tricolor	<i>three-coloured</i>	r. v.	3					
395	Gloxinia, 12 species ex.	12 choice species	14	59	95	S.	div.	6-8	1	0				
396	Glycine sinensis,**	<i>Chinese</i>	17	45	99	lp	bl.	15	5-7	1	0				
397	comosa**	<i>tufted</i>	ha	2	7-8	6					
398	Guaphalium eximium	<i>choice</i>	19	54	79	G.	cr.	3	6					
399	grandiflorum	<i>large-flowered</i>	wh.	6					
400	Godetia (Oenothera)	(finest mix. 20 v.)	8	25	112	ha	div.	1	6					
401	bifrons	<i>two-fronted</i>	p&c	3					
402	insignis	<i>beautiful</i>	spot.	3					
403	Lehmanni	<i>Lehmann's</i>	var.	3					
404	lépida	<i>pretty</i>	li.	3					
405	Lindleyana	<i>Dr. Lindley's</i>	w&r	3					
406	purpurea	<i>purple</i>	pur.	3					
407	quadrivalvula	<i>four-coloured</i>	pink	3					
408	Romanzovii	<i>Romanzow's</i>	pur.	3					
409	rösco-alba	<i>rose and white</i>	r & w	3					
410	rubioides	<i>blushing</i>	d. c.	3					
411	tenuifolia	<i>slender-leaved</i>	vio.	3					
412	vinacea	<i>twiggy</i>	li.	3					
413	vinosa	(wine-coloured)	clar.	3					
414	Willdenovii	<i>Willdenow's</i>	vio.	3					
415	Goodia lotifolia	<i>Lotus-leaved</i>	16	45	99	G.	yel.	3	6-7	6					
416	pubescens	<i>hairy</i>	6					
417	Gypsophila elegans	<i>elegant</i>	10	26	131	ha	w&p	½	7-8	3					
418	Habenaria dentata	<i>indented</i>	11	59	138	hha	wh.	1	3					
419	sp. frágans	<i>fragrant</i>	6					
420	Hedychium Gardnerianum	<i>Gardner's</i>	5	25	S.	yel.	6	6-9	1	0				
421	Helenium Douglasii	<i>Douglas's</i>	19	54	79	ha	2	7-8	3					
422	Helianthemum guttatum	<i>spotted</i>	13	25	76	½	3					
423	— — —	<i>extra fine mixed</i>	hp†	div.	1	1	0				

No.		<i>A—indicates a variety. () That the word is not literally translated, or is superadded.</i>	L.	C.	L.	O.	N.	O.	H.	&	Dur.	Col.	of Fl.	Height.	M.	of	Flow.	Price
424	Helióphila arabioides	<i>Arabis-like*</i>	15	61	83	lha	bl.	½	7-8					feet	s. d.			
425	trifida	<i>thrice-cut</i>	pur.						6			
426	striata	<i>upright</i>	bl.						1 0			
427	Heliotropium peruvianum	<i>Peruvian</i>	5	25	71	fgh	...	2	...						6			
428	grandiflorum	<i>large-flowered</i>						6			
429	Hieracium grandiflorum	<i>large-flowered</i>	19	53	79	hp†	yel.	1½	...						3			
430	Hibiscus africanus	<i>African</i>	16	48	103	ha	y & d	2	...						3			
431	Humboldti	<i>Humboldt's</i>						3			
432	palustris	<i>Marsh (2 var.)</i>	hp†	r & w	3	...						6			
433	calyculatus	<i>(new species)</i>	lh	...	2	...						6			
434	Fulleriannus	<i>Fuller's</i>	G.						1 0			
435	grandiflorus	<i>large-flowered</i>	fish.	3	...						6			
436	Manihot	<i>Manihot</i>	y & d	2	...						6			
437	militaris	<i>military</i>	pur.						6			
438	Moschutos	<i>Moschutos</i>	hhp†	wh.						6			
439	— roseus	<i>rose do.</i>	rose					6			
440	speciosus	<i>showy</i>	fgh	sc.						1 0			
441	syriacus	<i>Syrian</i>	hp	div.						6			
442	Hòvea Celsi	<i>Cel's</i>	...	45	99	G.	bl.	6	6-8	1	0							
443	Hòumea elegans	<i>elegant</i>	19	53	79	hb†	red	5	6-9	6								
444	Ilyacinthus orientalis	<i>oriental</i>	6	25	100	hp	div.	1	5-6	6								
445	Hypéricium elegans	<i>elegant</i>	18	48	...	yel.	1½	6-7	6									
446	Kalmianum	<i>Kalm's</i>						6			
447	Ibèris Tenoreana	<i>Tenore's</i>	15	60	83	hp†	red	1	7-8	3								
448	Impatiens glandulifera	<i>glandular</i>	5	25	68	lha	...	2½	...						3			
449	Ipomoea coccinea**	<i>scarlet</i>	81	ghb	sc.	cl.	7-9	6								
450	bônia-nox**	<i>Good Night!</i>	li.						6			
451	Lindleyi**	<i>Prof. Lindley's</i>						2 6			
452	Quamoclit**	<i>Quamoclit</i>	sc.						6			
453	rùbro-cærùca**	<i>(sky-blue) true</i>	bl.						2 6			
454	— alba**	<i>white (new)</i>	wh.						2 6			
455	tyrianthina**	<i>(Tyrian purple)</i>	pur.						2 6			
456	— — **	<i>fine mixed</i>	div.						1 0			
457	Nil**	<i>(Auil-blue)</i>	lha	bl.						3			
458	Indigófera australis	<i>Australian</i>	17	45	99	G.	pink	4	5-6	6								
459	cytisoïdes	<i>Cytisus-like</i>	red	3	7-8	6								
460	junccea	<i>rush (leaved)</i>	2	6-7	6								
461	sp. Cochabamba	<i>Cochabamba</i>	rose	3	...						6			
462	Ipomopsis Beyrichii	<i>Leyrich's</i>	5	25	118	hbb†	sc.	2	7-8	6								
463	élégans	<i>elegant</i>						6			
464	— aurantiaca	<i>orange</i>	or.						1 0			
465	picta	<i>painted</i>	sc.						6			
466	Iris xiphioïdes	<i>(English Iris)</i>	3	...	97	hp	div.	...	6-7	1	0							
467	xiphium	<i>(Spanish Iris)</i>	1	...						6			
468	Isótoma axillaris	<i>axillary</i>	5	...	104	fgh	bl.	1½	6-8	6								
469	Ixia, pl. sp. et var.	<i>(finest mixed)</i>	3	...	97	fghp	div.	1	...						6			
470	Jurénia alata	<i>winged</i>						6			
471	Kaulfussia amellocoides	<i>Amellus-like</i>	19	54	79	ha	bl.	¾	7-8	3								
472	Kennedia Maryattæ**	<i>Mrs. Maryatt's</i>	17	45	99	G.	sc.	cl.	6-9	1	0							
473	monophylla**	<i>single-leaved</i>	bl.						6			

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col.	of Fl.	feet	s. d.	M. of Flow.	Price.
474	Kennedia physoloboides	<i>Physolobium L.</i> **	17	45	99	G.		cl.	6-9	1	0
475	rubiemunda**	<i>blushing</i>	red		cl.	...	6	
476	sp. coecinea*	<i>scarlet species</i>	sc.		cl.	...	6	
477	4 species**	(4 fine species)	div.		cl.	...	1	0
478	Lantana Sellovianna	<i>Sellow's</i>	14	59	138	hlp†	pur.	1½	7-8	3	
479	Lasthenia californica	<i>Californian</i>	19	54	79	ha	yel.	cl.	...	3	
480	glabrata	<i>smooth</i>	cl.	...	3	
481	Lathyrus speciosus	<i>showy</i>	17	45	99	...	cr.	cl.	...	3	
482	latifolius	<i>broad-leaved</i>	hp†	red	cl.	...	3	
483	— albus	<i>white</i>	wh.	cl.	...	3	
484	azureus major	<i>larger azure</i>	ha	bl.	cl.	...	3	
485	Lavatera Salvitelleensis	<i>Salvitella</i>	16	48	108	hp†	pink	cl.	...	3	
486	Leptosiphon densiflorus	<i>thick-flowered</i>	5	25	118	ha	pur.	cl.	...	3	
487	androsaceus	<i>Androsace-like</i>	div.	cl.	...	3	
488	— alnus	<i>white</i>	wh.	cl.	...	3	
489	— lilacinus	<i>lilac</i>	li.	cl.	...	3	
490	Leucadendron, pl. sp.	(10 fine species)	22	39	123	G.	yel.	div.	div.	1	0
491	argenteum	<i>silvery</i>	6	...	1	0
492	Leycesteria formosa	<i>beautiful</i>	5	25	75	hp†	w&p	cl.	7-9	6	
493	Leucospermum, 4 sp.	(4 fine species)	4	...	123	G.	yel.	div.	div.	1	0
494	Linnauthes Douglasii	<i>Douglas's</i>	10	...	101	ha	w&y	cl.	7-8	3	
495	grandiflora	<i>large-flowered</i>	1	...	6	
496	Linum austriacum	<i>Austrian</i>	5	30	102	hp†	hl.	cl.	...	3	
497	grandiflorum	<i>large-flowered</i>	cl.	...	3	
498	— alnum	<i>white</i>	wh.	cl.	...	3	
499	nervosum	<i>nerved</i>	l. b.	cl.	...	3	
500	perenne	<i>perennial</i>	bl.	cl.	...	3	
501	Linaria alpina	<i>alpine</i>	14	59	129	1	...	6	
502	— flava	<i>yellow</i>	1½	...	6	
503	Lisianthus Russellianus	<i>Duke of Bedford's</i>	5	25	93	G.	pur.	cl.	...	6	
504	Loasa aurantiaca**	<i>orange</i>	18	48	103	hlp†	or.	cl.	6-8	3	
505	Heriberti**	<i>Hou. Mr. Herbl.'s</i>	d. o.	...	cl.	...	6	
506	Pentlandia**	<i>Pentland's</i>	or.	...	cl.	...	6	
507	— — —	<i>finest mixed**</i>	cl.	...	6	
508	tricolor	<i>three-coloured</i>	ha	3col.	1½	7-8	3	
509	Lobelia erinoides*	<i>Erinus-like</i>	5	25	101	hlp†	bl.	cl.	6-8	3	
510	— grandiflora*	<i>large-flowered</i>	cl.	...	6	
511	— rosa*	<i>rose-coloured</i>	rose	...	3	
512	Erinus*	<i>Erinus</i>	bl.	...	3	
513	gracilis*	<i>slender</i>	ha	...	cl.	7-8	3	
514	— alba*	<i>white</i>	wh.	...	3	
515	— bicolor*	<i>two-coloured</i>	var.	...	3	
516	heterophylla major	<i>var.-leav'd major</i>	hp†	bl.	cl.	...	6	
517	cardinalis	<i>Cardinal</i>	G.	sc.	cl.	...	6	
518	ignea	<i>flame-coloured</i>	o. s.	cl.	...	1	0
519	ramosa	<i>branching</i>	hp†	d. b.	cl.	...	6	
520	— — —	6 fine sp. mixed	G.	div.	cl.	...	1	0
521	Lopelia, 2 species	(2 species sep.)	1	...	112	ha	red	1½	...	6	
522	Lophospermum scandens	<i>climbing**</i>	14	59	129	G.	blsh.	cl.	6-8	6	
523	— Hendersonii	<i>Henderson's**</i>	spot	cl.	...	6	

No.	[chiton]	Rhodo-	Rhodochilon**	L. Cl.	L. O.	N. O.	H. & Dur.	Col. of fl.	feet	s. d.			
										pur.	el.	6-8	M. of Flow.
524	Lophospermum	Rhodo-	finest mixed**	14	59	129	G.	var.	1	0	6
525	—	—	St. James' Island	17	45	99	gha	dark	1	6
526	Lòtus jacobæus		two-coloured	16	ha	p&b.	...	7-8	3		
528	Hartwègii		Hartweg's	b&w	1½	3	
529	mexicànum		Mexican	bl.	3	
530	mutabilis		variable	var.	2	3	
531	— Crníkhanksii		Cruikshanks	3	
532	nànum*		dwarf	p&b.	1	3	
533	pulchellus		pretty	bl.	1½	3	
534	arbóreus		tree	hp†	div.	4	3	
535	élégans		elegant	b&r.	2	3	
536	lépidus		pleasing	b&p.	1½	3	
537	polypyllus		many-flowered	hp	bl.	2½	3	
538	— albus		white	wh.	3	
539	— speciosus		showy	w&b	3	
540	—	(30 sp. & var. m.)	div.	div.	...	1	0	
541	Lusània calycina		large-ealiced	14	59	129	hp†	wh.	1½	3	
542	Lychnis corsica		Corsican	10	31	131	...	red	1	3	
543	chalcedónica		Chalcedonian	sc.	2	3	
544	— alba		white	wh.	3	
545	fulgens		glowing	fp†	se.	1	6	
546	Ly'thrum alátum		winged	11	25	106	...	pur.	1½	5-9	3		
547	— róseum superbum		superb rose	rose	6	
548	Màdia élégans		elegant	19	54	79	lha	yel.	3	7-8	3		
549	Magnólia grandiflòra		large-flowered	13	35	140	hp	wh.	15	7-9	6		
550	tripétala		three-petaled	25	5-8	6		
551	Málope trifida		trifid	16	48	108	lha	red	2	7-8	3		
552	— grandiflòra		large-flowered	3	
553	— — alba		white	wh.	3	
554	— — purpùrea		purple	pur.	6	
555	Malva miniàta		vermilion	hp†	red	3	6-8	3		
556	moschata		musk	flesh	3	
557	Morèni		Moren'i	red	3	7-9	3		
558	semperfívrens		ever-green	2	7-8	3		
559	zebrina		zebra	lha	stri.	3	
560	Marty'nia craniolaria		skull (capsuled)	14	59	130	lha	wh.	2½	6	
561	frágrans formòsa		beautiful	var	6	
562	lutea		yellow	yel.	6	
563	proboscidea		probosceis	li.	3	
564	Maurandy'a Barclayana**		Barclay's	129	G.	b&w	el.	4-9	6		
565	antirrhiniflòra**		Antirrhinum fl.	p&w	6	
566	semperflorens**		ever-flowering	rose	6	
567	—	—	fine mixed, 6 var.	div.	1	0	
568	Mesembryanthemum, m.	mixed	...	12	27	89	lha	r&w	1½	7-8	6		
569	glàbrum		smooth	yel.	6	
570	tricolor		three-coloured	red	1½	6	
571	— album		white	wh.	6	
572	Mimòsa marginata	bordered	...	23	51	99	G.	pur.	2	6-8	6		
573	Mimulus cardinalis	Cardinal	...	14	59	129	hp†	se.	...	7-8	3		

A—indicates a variety. () That the word is not literally translated, or is superadded.

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Height. feet	M. of Flow.	s.d.	Price.	
624	<i>Ononis rotundifolia</i>	<i>round-leaved</i>	16.45	99	bp	pink	3	5-7	3		
625	<i>Orobis Fischéri</i>	<i>Fischer's</i>	17	pur.	2	5-6	6		
626	<i>Oxalis rosea</i>	<i>rose-coloured</i>	10.30	Ox.	bhp ^t	rose	1	6-8	6		
627	<i>Oxylobium cordifolium</i>	<i>heart-leaved</i>	10.25	99	G.	yel.	3	5-9	6		
628	<i>Oxyura chrysanthemoides</i>	<i>chrysanth.-like</i>	19.54	79	ha	yel.	1	7-8	3		
629	<i>Paeonia arborea</i> [es]	<i>tree</i>	13.26	124	hp	div.	4	5-7	6		
630	— — —	<i>finest mixed</i>	2	6-8	6		
631	<i>Papaver cracicum</i>	<i>saffron</i>	25	114	hp ^t	or.	1½	...	6		
632	<i>floribundum</i>	<i>bunch-flowered</i>	hb ^t	sc.	...	7-8	3		
633	<i>involucratum</i>	<i>involucrate</i>	hp ^t	cr.	2	...	3		
634	<i>orientale</i>	<i>Oriental</i>	red	3	...	3		
635	<i>pulcherrimum</i>	<i>most beautiful</i>	sc.	6		
636	<i>spectabile</i>	<i>showy</i>	3		
637	<i>Passiflora alata**</i>	<i>winged</i>	16.40	115	S.	3col.	cl.	4-9	1 0		
638	<i>caerulea**</i>	<i>blue</i>	hp	bl.	...	6-9	6		
639	— — —	<i>fine mixed</i>	G.	div.	6		
640	<i>Patersonia glauca</i>	<i>glaucous</i>	...	38	97	...	pur.	1	5-7	6	
641	<i>Pelargonium(Geranium)</i>	<i>finest mixed</i>	...	42	94	...	div.	3	6-9	1 0	
642	— — —	<i>large packet</i>	2	6	
643	— — —	<i>scarlet, 6 var.</i>	sc.	6		
644	— — —	<i>Tom Thumb</i>	6		
645	<i>Pentstemon digitalis</i>	<i>Digitalis-like</i>	14.59	129	hp ^t	wh.	2	7-9	3		
646	<i>atropurpureum</i>	<i>dark purple</i>	pur.	3		
647	<i>gentianoides</i>	<i>Gentian-like</i>	red	3		
648	— <i>coccineum</i>	<i>scarlet</i>	sc.	3		
649	<i>polebellum</i>	<i>pretty</i>	rose	3		
650	<i>speciosum</i>	<i>showy</i>	bl.	1 0		
651	— — —	<i>finest mixed</i>	div.	6		
652	<i>Petunia pœnicaea</i>	<i>purple</i>	5	25	132	bhp ^t	pur.	...	6-9	3	
653	<i>violacea</i>	<i>violet</i>	vio.	3		
654	— <i>alba grandiflora</i>	<i>large white</i>	wh.	6		
655	— <i>grandiflora</i>	<i>large-flowered</i>	pur.	6		
656	— <i>striata</i>	<i>striped</i>	str.	6		
657	<i>Nyctagineflora</i>	<i>Nyctago-flowered</i>	wb.	3		
658	— — —	<i>splend. m. 30 var.</i>	div.	1 0		
659	<i>Phaeelia conspicua</i>	<i>conspicuous</i>	96	ha	bl.	...	7-8	3	
660	<i>tanacetiflora</i>	<i>Tansy-leaved</i>	3		
661	<i>Phlomis Russelliana</i>	<i>Russell's</i>	14.58	98	hp ^t	buff	2	6-8	6		
662	— — —	<i>4 fine species</i>	div.	6		
663	<i>Pblos. Drummondii</i>	<i>Drummond's, 20v</i>	5	25	118	ha	...	7-9	1 0		
664	— <i>coccinea</i>	<i>scarlet</i>	sc.	1 0		
665	— <i>Leopoldina</i>	<i>Leopoldina's</i>	r&w	1 0		
666	— <i>mesolcuca</i>	<i>(white-eyed)</i>	div.	1 0		
667	pl. sp. <i>perennans</i>	<i>12 peren. species</i>	hp ^t	6-9	1 0		
668	<i>Physolobium gracile</i>	<i>slender</i>	10	...	99	G.	1 0		
669	<i>Pimeliæ spectabilis</i>	<i>showy</i>	2	...	134	6-8	1 0		
670	<i>Platylöbium triangulare</i>	<i>triangular</i>	16.45	99	...	or.	4	6-9	6		
671	<i>Platystemon californicum</i>	<i>Californian</i>	13.25	114	ha	yel.	½	7-8	6		
672	<i>Podalyria genistoides</i>	<i>Genista-like</i>	16.45	99	G.	por.	3	6-7	6		
673	<i>Podolæpis gracilis*</i>	<i>slender</i>	19.54	79	hha	pink	1	7-8	6		

No.	A — indicates a variety. () That the word is not literally translated, or is superadded.	C.	C.	N. O.	H. & Dur.	Col.	feet of Fl.	Height.	M. of Flow.	s. d.	Price.
674	<i>Podolèpis gracilis alba*</i>	<i>white</i>	19	54	79	hha	wh.	1	7-8	6	
675	<i>chrysanthia*</i>	<i>yellow-flowered</i>	yel.	6	
676	<i>Podotheca capitata</i>	<i>headed</i>	1½	...	6	
677	<i>Poinciàna Gilliesii</i>	<i>Gillies's</i>	10	25	99	S.	...	6	6-9	1 0	
678	<i>pulcherrima</i>	<i>beautiful</i>	r & y	8	...	1 0		
679	<i>règia</i>	<i>Royal</i>	er.	2 6		
680	<i>Poly'gala speciosa</i>	<i>showy</i>	17	43	119	G.	pur.	5	...	6	
681	— — —	3 species, m.	3	...	1 0	
682	<i>Portulaca Thellusoni</i>	<i>Thelluson's</i>	11	25	121	hha	sc.	½	7-8	6	
683	<i>splendens</i> (Gilliesii)	<i>splendid</i>	er. r.	6		
684	— <i>grandiflora</i>	<i>large-flowered</i>	6		
685	— — —	<i>fine mixed</i>	div.	6		
686	— — —	Nos. 682 to 685	1 6	
687	<i>Potentilla formosa</i>	<i>beautiful</i>	12	35	126	hp†	pur.	1½	...	3	
688	<i>atrosanguinea</i>	<i>dark red</i>	red	3	
689	<i>Garneriana</i>	<i>Miss Garnier's</i>	y & r.	1 0	
690	<i>Hopwoodiana</i>	<i>Hopwood's</i>	b & r.	6	
691	<i>insignis</i>	<i>distinguished</i>	yel.	1	...	6	
692	<i>leucocarpa</i>	<i>white-coloured</i>	wh.	6	
693	<i>Mackayana</i>	<i>Mackay's</i>	y & p.	6	
694	<i>splendens</i>	<i>splendid</i>	yel.	6	
695	— — —	<i>fine mixed</i>	div.	6		
696	<i>Prunula cortusoides</i>	<i>Cortusa-like</i>	5	25	122	hlpt	pur.	¾	5-7	6	
697	<i>farinosa</i>	<i>mealy</i>	red	½	...	6	
698	<i>sinensis fimbriata</i>	<i>Chinese fringed</i>	r & w	1	...	1 0	
699	— <i>alba</i>	<i>white</i>	wh.	6	
700	— <i>atro-ròsea</i>	<i>dark rose</i>	rose	6	
701	Pròtea, pl. sp. ex.	(10 fine sp. sep.)	4	...	123	G.	div.	div.	div.	5 0	
702	— — —	<i>fine mixed</i>	1 0	
703	<i>Ramonda pyrenaea</i>	<i>Pyrenean</i>	5	...	132	hlp†	pur.	½	6-8	6	
704	<i>Rannunculus asiaticus</i>	<i>Asiatic</i>	13	35	124	hp	div.	1	...	1 0	
705	<i>Rhexia virginica</i>	<i>Virginian</i>	8	25	...	hp†	pur.	¾	...	6	
706	<i>Rhodanthe Maugèsii</i>	<i>Capt. Maigles'</i>	19	54	79	bha	pink	1	7-8	6	
707	Ròsa, pl. sp.	(<i>fine mixed</i>)	12	35	126	hp	div.	div.	6-9	6	
708	<i>Rudbeckia fulgida</i>	<i>shining</i>	19	55	79	hp†	yel.	3	7-8	6	
709	— — —	4 fine species, m.	6	
710	<i>Salpiglossis Barclayana</i>	<i>Barclay's</i>	14	59	132	hha	br.	2	7-9	6	
711	<i>atropurpurea</i>	<i>dark purple</i>	pur.	6	
712	— <i>by'brida major</i>	<i>larger hybrid</i>	var.	6	
713	— <i>pieta</i>	<i>painted</i>	6	
714	— <i>lutea</i>	<i>yellow</i>	yel.	6	
715	— — —	<i>splendid mixed</i>	div.	1 0	
716	<i>Salvia coccinea</i>	<i>scarlet</i>	2	25	98	hlp†	b&w	...	7-8	6	
717	<i>limbata</i>	<i>limbata</i>	bord	3	
718	<i>lusitanica</i>	<i>Portugal</i>	bl.	3	
719	<i>pâtens</i>	(<i>splendid blue</i>)	1 0	
720	— — —	— — —	div.	6	
721	<i>Sanvitália procumbens</i>	<i>procumbent</i>	19	54	79	hha	yel.	tr.	...	6	
722	<i>Saponaria calabrica</i>	<i>Calabrian</i>	10	26	131	ha	red	½	5-8	6	
723	<i>Saxifraga</i> , pl. sp.	(3 fine species)	hp†	div.	1	5-7	6	

No.	<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.	L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
							feet	s. d.		
724	Scabiōsa elegans	<i>elegant</i>	4	25	85	hp†	bl.	1	6-8	6
725	caucásica	<i>Caucasian</i>	l. b.	1	...	6	
726	Schizanthus Grahamī	<i>Graham's</i>	11	59	129	hba	r & y	2	7-8	6
727	Hookeri	<i>Hooker's</i>	var.	6	
728	retusus	<i>retuse</i>	6	
729	pinnátus, pl. var.	<i>pinnate, mixed</i>	ha	div.	1½	...	3	
730	pinnátus	<i>pinnate</i>	l.p.y.	3	
731	— albus	<i>white</i>	wh.	3	
732	— Priestii	<i>Priest's</i>	3	
733	— pulchellus	<i>pretty</i>	w&p	3	
734	— venustus	<i>beautiful</i>	dark	3	
735	būmialis	<i>dwarf</i>	var.	1	...	3	
736	porrigens	<i>spreading</i>	3	
737	Schizopetalon Walkeri	<i>Walker's</i>	15	61	83	hba	wh.	1	...	6
738	Scilla, 4 species	(4 fine species)	6	25	hp	b&w	...	5-7	6	
739	Scutellaria, 6 sp. ex.	(6 fine species)	14	58	98	hp†	div.	6-7	6	
740	Scyphanthus elegans	<i>elegant</i>	18	48	103	hp†	yel.	7-8	6	
741	Sēdum cærulenn	<i>blue</i>	10	30	82	ha	bl.	½	...	6
742	Serruria, 6 sp. capensis	6 Cape species	4	25	123	G.	p&p	2	6-8	1 0
743	Silene compacta	<i>compact</i>	10	28	131	hb†	pink	1	7-8	3
744	fimbriata	<i>fringed</i>	hp†	wh.	1½	6-7	3
745	pendula	<i>pendulous</i>	ha	rose	1	7-8	3	
746	régia	<i>royal</i>	er.	...	6-7	6	
747	picta	<i>painted</i>	pink	...	7-8	3	
748	Siphocampylos, 2 sp.	(2 fine species)	5	25	104	G.	r & y	3	...	6
749	Sollya betophylla	<i>various-leaved</i>	...	99	...	bl.	cl.	6-9	6	
750	Sparaxis, pl. var.	(splendid mixed)	3	...	78	fgh	div.	1	6-7	6
751	Spatalla, pl. sp. capensis	<i>mixed Cape sp.</i>	8	...	87	G.	pur.	2	5-8	1 0
752	Sphaenogyne speciosa	<i>showy</i>	19	55	79	hba	yel.	1	7-8	6
753	— grandiflora	<i>large-flowered</i>	6	
754	Stachys coecína	<i>scarlet</i>	14	58	98	hp†	se.	1½	6-8	6
755	grandiflora	<i>large-flowered</i>	red	6	
756	purpurea	<i>purple</i>	pur.	6	
757	Státice exímia	<i>choice</i>	5	30	117	...	red	1	...	6
758	Pseudo-arméria	(bright pink)	pink	6	
759	speciosa	<i>showy</i>	wh.	6	
760	Stenactis speciosa	<i>showy</i>	19	54	79	...	pur.	2	...	3
761	Stévia purpurea	<i>purple</i>	...	53	1½	7-8	3
762	serrata	<i>serrated</i>	flsh	3	
763	Stipa pennata et gigantea	feathered & giant	3	26	92	...	gr.	2-3	...	6
764	Streptocarpus Rexii	Rex's	2	25	70	fgh	bl.	½	6-8	6
765	Sutberlandia grandiflora	<i>large-flowered</i>	17	45	99	hp†	se.	3	7-8	6
766	Swainsōnia galegīdolia	<i>Galega-like</i>	G.	r & w	2	6-8	6
767	Taesōnia pinnatistipula**	pinnate-stipuled	16	40	115	...	rose	cl.	6-9	1 0
768	Tagētēs lñcida	<i>shining</i>	19	54	79	...	yel.	1	7-8	6
769	signata (tennisfolia)*	<i>fine-leaved</i>	hba	or.	6	
770	Telekia speciosa	<i>showy</i>	hp†	yel.	4	6-8	6	
771	Thunbergia alata**	<i>winged</i>	2	25	62	G.	y & d	cl.	6-9	6
772	— alba	<i>white</i>	w & d	6	
773	— aurantiaca	<i>orange</i>	o & d	6	

A—indicates a variety. () That the word is not literally translated, or is superadded.							L. Cl.	L. O.	N. O.	H. & Dur.	Col. of El.	feet	M. of Flow.	s. d.
No.														
774	Thunbergia alata Bakeri	Baker's	2	25	62	G.	wh.	cl.	6-9			6		
775	— mesoleuca	(white-eyed)	y&w			6		
776	— nova, 4 var.	(4 fine new v.)	div.	1 0				
777	— — —	Nos. 771 to 776.	3 0			
778	Tigridia conchitlora	shell-flowered	16	38	97	hp	yel.	1	7-9			6		
779	Pavonia	Pavacock	o & s			6		
780	Trachelium caeruleum	blue	5	25	73	fgh	bl.	2	...			3		
781	— flôre-pleno	double			6		
782	Tropaeolum brachyceras	short-horned	8	...	135	G.	yel.	el.	...			6		
783	Jarrattii	Jarratt's	s & y			6		
784	Lobbianum	Lobb's	se.	1 0				
785	Moritzianum	Moritz's	1 0				
786	pentaphyllum	five-leaved	or. y.			6		
787	tricolorum	three-coloured	or. p.	1 0				
788	— grandiflorum	large-flowered	1 0				
789	peregrinum	(Canary-bird)	hha	yel.	6			
790	Tweedia caerulea	blue	5	26	67	hhp+	b.	cl.	6-8			6		
791	Veratrum nigrum	black	23	51	113	hp	d. p.	4	...			6		
792	Verbascum formosum	beautiful	5	25	132	...	yel.	2	7-8			3		
793	phoeniceum	purple	pur.			3		
794	Verbena Ambletia	Aublet's	14	59	138	hhp+	li.	1	6-9			6		
795	erinoides	erinus-like			6		
796	pulchella	pretty	bl.			6		
797	pulcherrima	most pretty			6		
798	venosa	veiny	rose			6		
799	— — —	splendid mixed	div.	1 0				
800	Veronica speciosa	showy	2	25	129	fgh	pur.			6		
801	Viscaria cæli-rosa	Rose of heaven	10	30	131	ha	flsh	...	7-8			3		
802	oculata	dark-eyed	rose			6		
803	— alba	white	wh.			6		
804	Vinea rösea et alba	rose and white	5	25	65	fgh	r & w	...	3-9			6		
805	Viola odorata	fragrant	139	hpt	div.			6		
806	— — —	3 species, m.	5-7		6		
807	Zinnia elegans	elegant	19	54	79	hha	vio.	2½	7-9			6		
808	— alba	white	wh.			6		
809	— aurantiaca	orange	or.			6		
810	— coerulea	scarlet	sc.			6		
811	— — major	scarlet			6		
812	— flavâ	yellow	yel.			6		
813	— kermesina	crimson	cr.			6		
814	— purpurea	purple	pur.			6		
815	— rösea	rose	rose			6		
816	— — —	splendid m. 30 v.	div.	1 0				
817	— — —	Nos. 807 to 818	5 0				

	s. d.		s. d.
818 Fine mixed Greenhouse Seeds	1 0	820 Fine mixed Cape Seeds, gh	1 0
819 Fine mixed Hothouse Seeds	1 0	821 Fine mixed Bolivian Seeds, gh	1 0

The following plants are best known by the English Names, but as the Scientific Name is requisite to show the genus to which they belong, it is also given. Such Popular Names as Convolvulus Minor, Flos Adonis, White Candytuft, Columbine, &c., have no affinity with the Latin, and are not to be considered as translations.

A — is employed to indicate varieties.							L. Cl.	L. O.	N. O.	H. & Dur.	Col.	feet	M. of Fl.	M. of Flow.	Price.
No.															s. d.
822	Aster, Chinese, m.	<i>Aster sinensis, pl. var.</i>	19	54	79	hha	div.	2			7-9				3
823	quilled (German)	— <i>fistulosus</i> , 20 v.	6
824	— dark blue	— <i>atro-cæruleus</i>	d. b.	3
825	— light blue	— <i>læte-cæruleus</i>	l. b.	3
826	— dark red	— <i>atrorubens</i>	d. r.	3
827	— rose	— <i>ròseus</i>	rose	3
828	— Turkey	— <i>turcicus</i>	cr.	3
829	— white	— <i>albus</i>	wh.	3
830	new Globe	— <i>globosus nòvus</i>	div.	6
831	new pyramidal	— <i>pyramidalis</i>	6
832	variegated	— <i>variegatus</i>	6
833	new dwarf	— <i>nàmuis nòvus</i>	1	7-8	6
834	Auricula, alpine	<i>Prímula Aurícola</i>	5	25	122	hp	½	5-7	6
835	finest prize	— — —	2
836	Balsam, finest m.	<i>Balsamina hortensis</i>	68	ta	2	7-9	6
837	double purple	— <i>purpurea pléna</i>	pur.	3
838	— dark rose	— <i>atro-ròsca</i>	rose	3
839	— scarlet	— <i>coecínea</i>	sc.	3
840	— white	— <i>candida</i>	wh.	3
841	— striped	— <i>striata</i>	div.	6
842	— Camellia	— <i>Camellia flòra</i>	6
843	— dwarf scarlet	— <i>coecinea nòva</i>	3
844	— mixed dwarf	— <i>nàma nòva</i>	div.	6
845	Broom, ornamental	<i>Cy'tisus et Spartium</i>	16	45	99	hp	y&w	5	7-8	6
846	Candytuft, white	<i>Iberis amèra (bitter)</i>	15	60	83	ha	wh.	1	3
847	purple	— <i>umbellata</i>	pur.	3
848	new crimson	— <i>phaenícea</i>	cr.	3
849	new blush	— <i>carnæa nòra</i>	bish.	3
850	new Rocket	— <i>coronaria</i>	wh.	3
851	fragrant	— <i>odorata</i>	3
852	mixed	— — —	div.	3
853	Canterbury Bells	<i>Campanula Mèdium</i>	5	25	73	hp†	bl.	2	3
854	white	— <i>alba</i>	wh.	3
855	double	— <i>flòre-pleno</i>	w&b	6
856	Capsicum, 10 var.	<i>Capsicum annuum, &c.</i>	132	ta	y&r.	6
857	Catchfly, Lobel's	<i>Silene Armèria</i>	10	28	131	ha	red	1	3
858	white	— <i>alba</i>	wh.	3
859	Chrysanthemum, m.	<i>Chrysanthemum, 2 var.</i>	19	54	79	y&w	3	3
860	tricolor	— <i>earinatum</i>	3col.	1	3
861	new golden	— <i>flavum</i>	yel.	3
862	showy	— <i>speciosum</i>	3
863	Clary, red-topt	<i>Salvia Hormiaum</i>	2	25	98	red	1½	3
864	purple-topt	— <i>purpurea</i>	pnr.	3
865	Cockscomb, dwarf	<i>Celosia cristata, nàma</i>	5	63	ta	1	6
866	Columbine, double	<i>Aquilegia vulgaris</i>	13	30	124	hp†	div.	2	6-7	3

<i>A — is employed to indicate varieties.</i>								L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Pl.	Height.	M. of Flow.	Price.
No.															s. d.
867	Convolvulus minor	<i>Convolvulus tricolor</i>	5	25	81	ha	b. v.	tr.			6-8		3		
868	new dark	— <i>atropurpureus</i>	pur.			3				
869	large-flowered	— <i>grandiflorus</i>			6				
870	new variegated	— <i>variegatus novus</i>	var.			6				
871	white	— <i>bicolor</i>	w&y			3				
872	mixed	— — —	div.			3				
873	— — —	<i>Nos. 867 to 872</i>			1 6				
874	Convolv. Major, m.	<i>Ipomoea purpurea</i>	hha	cl.	7-9			3				
875	extra fine, 20 v.	— — —			1 0				
876	new crimson	— <i>kermesinus</i>	cr.			1 0				
877	rose-coloured	— <i>roseus</i>	rosa			3				
878	spotted	— <i>punctatus</i>	sp.			3				
879	striped	— <i>striatus</i>	st.			3				
880	violet	— <i>violaceus</i>	vi.			3				
881	very dark	— <i>alroriglæceus</i>	d.v.			3				
882	— — —	<i>Nos. 875 to 881</i>	div.			3 0				
883	Cowslip, mixed	<i>Primula veris</i>	122	hp†	3-6			3				
884	Cyanus, sky-blue	<i>Centaurea Cyanus</i>	19	55	79	ha	bl.	2	7-8		3				
885	brown	— <i>brunnea</i>	br.			3				
886	fine mixed	— — —	div.			3				
887	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	132	ta	pur.			3				
888	white-fruited	— <i>teucocarpou</i>	wh.			3				
889	Flos Adonis	<i>Adonis aestivalis</i>	13	35	124	ha	sc.	1		3				
890	flame-coloured	— <i>flammea</i>	fl.			3				
891	Fraxinella, red	<i>Dictamnus Fraxinella</i>	10	25	128	hp	red	3	7-9		3				
892	white	— <i>allus</i> [rium]	wh.			3				
893	French Honeysuckle	<i>Hedysarum coronarium</i>	17	45	99	hha	sc.	2	7-8		3				
894	white	— <i>album</i>	wh.			3				
895	Globe Amaranthus	<i>Gomphrena globosa</i>	5	25	63	fgb	pur.			3				
896	white	— <i>alba</i>	wh.			3				
897	mixed	— — —	div.			6				
898	Gourd, Bottle	<i>Lagenaria vulgaris</i>	21	49	84	fa	yel.	tr.	7-9		6				
899	Heracles' Club	— <i>clavata</i>			6				
900	Mammoth	<i>Cucurbita Pepo</i>			3				
901	orange	— <i>auricula</i>			3				
902	striped pear	— <i>ovifera</i>			3				
903	mixed	— — —			3				
904	Hawkweed, purple	<i>Craspis rubra</i>	19	53	79	ha	pur.	1	7-8		3				
905	snow-white	— <i>nivalis</i>	wh.			3				
906	yellow	<i>Tolpis barbata</i>	yel.			3				
907	silvery	— <i>argentea</i>	sil.			3				
908	Heartsease (Pansy)	<i>Viola tricolor</i>	5	25	139	hp†	div.	6-8		6				
909	Hollyhock, Antwerp	<i>Allaea ciciifolia</i>	16	48	108	hp	buff	7		3				
910	double rose	— <i>rosea</i>	rose			3				
911	— black	— <i>nigra</i>	bla.			3				
912	— purple	— <i>purpurea</i>	pur.			3				
913	— red	— <i>rubra</i>	red			3				
914	— yellow	— <i>lutea</i>	yel.			3				
915	— white	— <i>alba</i>	wh.			3				
916	30 var. mixed	— — —	div.			1 0				

A — is employed to indicate varieties.

No.		Ls.	Cl.	Ls.	O.	N. O.	H. & Dur.	Col. of Fl.	Height. feet	M. of Flow.	Price. s. d.
917	Hollyhock, Chinese	<i>Althaea chinensis</i>	16	48	108	hpft	vio.	3	6-8	3	
918	— purple	— <i>purpurea</i>	pur.	3	
919	— mixed	— — —	p&v.	3	
920	— — —	<i>Nos. 909 to 919</i>	div.	3-7	...	3 0		
921	Horn Poppy, mixed	<i>Glaucium, pl. var.</i>	13	25	114	ha	...	2	7-8	3	
922	scarlet	<i>phœniceum</i>	sc.	3	
923	violet	<i>Rhamnus hybrida</i>	vio.	3	
924	Ice Plant	<i>Mesemb. crystallinum</i>	12	27	89	ta	wh.	tr.	...	3	
925	Jacobaea, dou. m.	<i>Senecio elegans, fl. pl.</i>	19	54	79	hha	div.	1½	...	6	
926	double crimson	— <i>kermesina</i>	cr.	3	
927	— mulberry	— <i>ruber-purpurea</i>	mul.	3	
928	— purple	— <i>purpurea</i>	pur.	3	
929	— rose	— <i>rosea</i>	rose	6	
930	— violet	— <i>violacea</i>	vio.	3	
931	— white	— <i>alba</i>	wh.	3	
932	— — —	<i>Nos. 925 to 931</i>	div.	2 0	
933	Larkspur, dwarf m.	<i>Delphinium Ajacis</i>	13	28	124	ha	...	1	...	3	
934	dwarf, German	<i>hämile pl. var.</i>	6	
935	— blue	— <i>caeleste</i>	bl.	3	
936	— rose	— <i>rösenn</i>	rose	3	
937	— white	— <i>album</i>	wh.	3	
938	— naique	— <i>bicolor</i>	r&w	3	
939	Larkspur, tall m.	<i>elatior, pl. var.</i>	div.	1½	3	
940	tall German	<i>elatior, var.</i>	6	
941	— blue	— <i>cæruleum</i>	bl.	3	
942	— rose	— <i>rösseum</i>	rose	3	
943	— white	— <i>album</i>	wh.	3	
944	branching Ger.	<i>Consolida, pl. var.</i>	div.	2	6	
945	— bluc	— <i>caeleste</i>	bl.	3	
946	— rose	— <i>rösseum</i>	rose	3	
947	10 fine var. sep.	— — —	div.	2 0	
948	Lavatera, red	<i>Lavatera trimestris</i>	16	48	108	ha	rose	3	...	3	
949	white	— <i>alba</i>	wh.	3	
950	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	red	tr.	...	3	
951	Lupins, white	<i>Lupinus albus</i>	16	45	99	...	wh.	2	...	3	
952	Dutch blue	<i>canaliculatus</i>	bl.	3	
953	large blue	<i>hirsutus</i>	3	
954	large rose	<i>pilosus</i>	rose	3	
955	yellow	<i>luteus</i>	yel.	1½	3	
956	straw-coloured	— <i>stramineus</i>	str.	3	
957	mixed	— — —	div.	2	3	
958	Mallow, 5 var. sep.	<i>Malva pl. sp. et var.</i>	48	108	1 0	
959	Marigold, French, ju.	<i>Tagetes patula, 10 var.</i>	19	54	79	lha	...	1½	7-9	6	
960	French, dwarf	— <i>hämilia</i>	1	...	3	
961	— superb striped	— <i>striata superba</i>	str.	1½	6	
962	— quilled	— <i>fistulosa</i>	div.	3	
963	African, m.	<i>erecta, pl. var.</i>	y & o	2	3	
964	— lemon	— <i>citrina</i>	lem.	3	
965	— orange	— <i>aurantiaca</i>	or.	3	
966	— quilled	— <i>fistulosa</i>	y & o	3	

<i>A — is employed to indicate varieties.</i>										s. d.
No.		L. Cl.	L. O.	N. O.	H. & Dnr.	Col.	feet	M. of Flow.	Price.	
967	Marigold, Cape	<i>Calendula pluvialis</i>	19	56	79	ha	wh.	1	7-8	3
968	hybrid	<i>hy'brida</i>	3
969	double, pot	<i>officinalis, fl. pl.</i>	yel.	3
970	Marvel of Peru	<i>Mirabilis Jalapa</i>	5	25	110	hhpt	div.	3	7-9	3
971	purple	— <i>purpurea</i>	pur.	3
972	red	— <i>ruber</i>	red	3
973	striped, 3 var.	— <i>striata</i>	stri.	3
974	yellow	— <i>flava</i>	yel.	3
975	white	— <i>alba</i>	wh.	3
976	long-flowered	<i>longiflora</i>	3
977	12 fine var. mix.	— — —	div.	1	0
978	Mignonette, lb. 8s.	<i>Reseda odorata</i> . oz. 6d.	11	28	125	ha	buff	1½	7-8	3
979	Monkshood, mixt.	<i>Aconitum, pl. sp.</i>	13	...	124	hp	b&w	2	6-8	3
980	Nasturtions, tall	<i>Tropaeolum Majus</i>	8	43	135	ha	o&y.	cl.	7-8	3
981	new carmine	— <i>miniatum</i>	ear.	3
982	dark red	— <i>atrosanguineum</i>	d. r.	3
983	Shillings	— <i>Shillingii</i>	spot.	3
984	three-spotted	— <i>tricolor</i>	3
985	new dwarf	<i>minus</i>	s&o.	3
986	common dwarf	— — —	or.	3
987	Palma Christi	<i>Ricinus major</i>	21	49	88	hha	gr.	6	7-9	3
988	Pea, Tangier	<i>Lathyrus tingitanus</i>	17	45	99	ha	sc.	4	7-8	3
989	new striped	— <i>striatus novus</i>	str.	3
990	Pea, Sweet, m. lb. 4s	<i>odoratus, pl. var.</i>	div.	3
991	black	— <i>niger</i>	bla.	3
992	painted Lady	— <i>pictus</i>	var.	3
993	purple	— <i>purpureus</i>	pur.	3
994	scarlet	— <i>coccineus</i>	sc.	3
995	striped	— <i>striatus</i>	str.	3
996	white	— <i>albus</i>	wh.	3
997	Persicaria, red	<i>Polygonatum orientale</i>	8	28	120	...	red	6	...	3
998	white	— <i>album</i>	wh.	3
999	mixed	— — —	r&w	3
1000	Polyanthus, ex. fine	<i>Primula elatior, var.</i>	5	25	122	hp†	div.	½	4-6	6
1001	Poppy, double, m.	<i>Papaver somniferum</i>	13	...	114	ha	...	2	7-8	3
1002	double black	— <i>nigrum</i>	bla.	3
1003	— Carnation	— <i>caryophylloides</i>	var.	3
1004	— fringed	— <i>fringedum</i>	div.	3
1005	— Himmelayan	— <i>Himalayanum</i>	3
1006	— scarlet	— <i>coccineum</i>	sc.	3
1007	— striped rose	— <i>roseum striatum</i>	rose	3
1008	— striped red	— <i>rubrum striatum</i>	red	3
1009	— white	— <i>album</i>	wh.	3
1010	French double	<i>Rheas, fl. pleno</i>	div.	1	3
1011	— bordered	— <i>limbatum</i>	red	3
1012	— striped	— <i>striatum</i>	str.	3
1013	No. 1001 to 1012	— — —	div.	3
1014	Primrose, mixed	<i>Primula vulgaris</i>	5	25	122	hp†	...	½	4-6	3
1015	Princes Feather	<i>Annanthus hypocon.</i>	21	40	63	ha	pur.	2½	7-8	3
1016	Quaking Grass	<i>Briza maxima</i>	3	26	92	...	gr.	1½	...	3

A — is employed to indicate varieties.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Pl.	Height.	M. of Flow.	s. d.	Price.
1017	Qua. Grass, slender	<i>Briza gracilis</i>	3 26	92	ha	gr.	1	7-8	3	
1018	Rocket, purple	<i>Hesperis matronalis</i>	15 61	83	hp	pur.	5-8	3		
1019	sweet	<i>tristis</i>	wh.	3	
1020	Seabions, dwarf	<i>Scabiosa nana</i>	4 25	85	ha	div.	7-8	3		
1021	very dark	<i>atropurpurea</i>	hp†	pur.	2	...	3	
1022	splendid Ger.	— <i>superba</i>	div.	6	
1023	Scotch Thistle	<i>Carduus, sp.</i>	19 55	79	...	pur.	8	...	6	
1024	Sensitive Plant	<i>Mimosa sensitiva</i>	23 51	99	fgh	pink	2	6-9	6	
1025	Spanish Broom	<i>Spartium juiceum</i>	16 45	...	hp	yel.	3	7-8	3	
1026	Snapdragon, m.	<i>Antirrhinum Majus</i>	14 59	129	hp†	div.	2	6-9	3	
1027	splendid m. 40v.	— — —	str.	6	
1028	Carnation	— <i>caryophylloides</i>	3	
1029	— yellow	— <i>tulatum</i>	6	
1030	four-coloured	— <i>quadricolor</i>	4col.	6	
1031	orange	— <i>aurantiacum</i>	or.	6	
1032	pale yellow	— <i>ochroleucum</i>	p. y.	3	
1033	painted	— <i>pictum</i>	var.	3	
1034	scarlet	— <i>coccineum</i>	sc.	3	
1035	white	— <i>album</i>	wh.	3	
1036	yellow	— <i>flavum</i>	yel.	3	
1037	Nos. 1027 to 1036	— — —	div.	3 0	
1038	Stock, 10 week, m.	<i>Mathiola annua</i>	15 61	83	hha	...	1½	7-9	3	
1039	scarlet	— <i>coccinea</i>	er.	3	
1040	intermediate	— <i>intermedia</i>	3	
1041	large scarlet	— <i>major</i>	2	...	3	
1042	purple	— <i>purpurea</i>	pur.	1½	...	3	
1043	white	— <i>alba</i>	wh.	3	
1044	Stock, Germ., 20 v.	<i>Mathiola annua, var.</i>	div.	1	...	6	
1045	large packet	— — —	1 0	
1046	dwarf carmine	<i>densiflora, min.</i>	ver.	6	
1047	— dark carmine	— <i>atro-miniata</i>	d. v.	6	
1048	— crimson	— <i>kermesina</i>	cr.	6	
1049	— dark crimson	— <i>atrorubens</i>	d. c.	6	
1050	— dark blue	— <i>atro-cerulea</i>	d. b.	6	
1051	— lilac	— <i>tilacina</i>	li.	6	
1052	— light blue	— <i>late-cerulea</i>	l. b.	6	
1053	— peach-bloss.	— <i>persiciflora</i>	p. bl.	6	
1054	— rose-coloured	— <i>rosea</i>	rose	6	
1055	— yellow	— <i>lutea</i>	yel.	6	
1056	— violet	— <i>violacea</i>	vio.	6	
1057	— white	— <i>alba</i>	wh.	6	
1058	Nos. 1046 to 1057	— — —	div.	5 0	
1059	Stock, Prussian, m.	<i>græea (cheirifolia)</i>	3	
1060	purple	— <i>purpurea</i>	pur.	3	
1061	scarlet	— <i>coccinea</i>	er.	3	
1062	rose	— <i>rœsea</i>	rose	3	
1063	white	— <i>alba</i>	wh.	1½	...	3	
1064	Autumnal	<i>autumnalis</i>	div.	6	
1065	Stock, Brompt, m.	<i>Mathio. simplicicaulis</i>	hb†	...	2½	6-8	3	
1066	purple	— <i>purpurea</i>	pur.	3	

No.	<i>A — is employed to indicate varieties.</i>	L. Cl.	L. O.	N. O.	H. & Dur.	Col.	fect of Fl.	Height.	M. of Flow.	Price.
1067 Stock, Brompt., s.	<i>Mathiola simplicicaulis</i>	15	61	83	hb†	cr.	2½	6-8	3	3
1068 white	— <i>alba</i>				wh.					3
1069 Stock, Queen, m.	<i>Mathiola incana</i>				div.	1½				3
1070 purple	— <i>purpurea</i>				pur.					3
1071 scarlet	— <i>coccinea</i>				cr.					3
1072 white	— <i>alba</i>				wh.					3
1073 Imperial	<i>imperiialis, m.</i>				hp†	d. bl.	5-9			6
1074 — light blue	— <i>late-caerulea</i>				lbl.					6
1075 — red	— <i>rubra</i>				red					6
1076 — rose	— <i>rösea</i>				rose					6
1077 Nos. 1073 to 1076	— — —				div.				1	6
1078 Sunflower, d. tall	<i>Helianthus annuus</i>	19	55	79	ha	yel.	6	7-8	3	
1079 dwarf	<i>indicus</i>					3				3
1080 Sweet Alyssum	<i>Alyssum maritimum</i>	15	60	83	hp†	wh.	1			3
1081 Sweet Sultan, p.	<i>Centaura mosehata</i>	19	55	79	hha	pur.	2			3
1082 white	— <i>alba</i>				wh.					3
1083 yellow	— <i>suavolens</i>				yel.					3
1084 Venus' Look.-glass	<i>Campánula Speculum</i>	5	25	73	ha	bl.	¾	6-7	3	
1085 rose	— <i>rösea</i>				rose					3
1086 white	— <i>alba</i>				wh.					3
1087 5 var. separate	— — — [lum				div.				1	0
1088 Venus' Navelwort	<i>Cynoglossum linifolium</i>			71		wh.	1			3
1089 Virg. Stk., r. oz. 6d.	<i>Malcolmia maritima</i>	15	61	83		li.	½			3
1090 white "	— <i>alba</i>				wh.					3
1091 Wallflower, dark	<i>Cheiranthus Cheiri</i>				hp	br.	2	5-8	3	
1092 Chameleon	— <i>variabilis</i>				var.					3
1093 purple	— <i>purpurea</i>				pur.					3
1094 yellow	— <i>flava</i>				yel.					3
1095 double German	<i>flóre-pleno</i>				div.					6
1096 — black brown	— <i>nigrescens</i>				d. br.					6
1097 — blue	— <i>caviflora</i>				bl.					6
1098 — large-flower.	— <i>grandiflora</i>				br.					6
1099 — pyramidal	— <i>pyramidalis</i>									6
1100 20 var., mixed	— — —				div.					6
1101 Winter Cherry	<i>Phy'salis Alkekengi</i>	5	25	132	ha	wh.	2½	7-9	3	
1102 Xeranthemum, p.	<i>Xeranthem. annuum</i>	19	54	79		pur.	1½	7-8	3	
1103 white	— <i>album</i> [leatum				wh.					3
1104 yellow	<i>Eichrysum bracteatum</i>				hha	yel.	2			3
1105 new white	— <i>album növum</i>				wh.					3
1106 splendid	— <i>splendens</i>				var.					3
1107 Zinnia, golden yel.	<i>Zinnia aurea</i>				yellow					6
1108 large-flowered	— <i>grandiflora</i>				red					3
1109 mixed	— — —				r & y					3

For the convenience of those Ladies and Gentlemen who wish to save time, J. C. has made the following selection; the list consists of Annuals and such Biennials and Perennials as flower the same year.

1. Hardy Annuals.—Nos. 54, 107, 121, 125, 173, 190, 222, 260, 302, 342, 343, 344, 347, 348, 350, 363, 386 to 389, 423, 430, 471, 486, 487, 528, 532, 540, 628, 671, 745, 801 to 803, 873, 931, 939, 944, 1001, 1010, 1037.

2. *Half-hardy Annuals*.—Nos. 56, 57, 132, 144 to 146, 152, 159, 193, 214, 215, 218, 219, 253, 303, 325, 357 to 360, 379, 382, 419, 424, 426, 443, 464, 465, 504, &c., 509, &c., 552, 561, 569, 570, 578, 581, 600, 622, 658, 663, &c., 673, &c., 686, 706, 710, &c., 721, 737, 752, 769, 799, 810, 817, 823, 830, 882, 908, 932, 959, &c., 1045, 1058, 1081, &c.

3. *Greenhouse Seeds; these do not all flower the first year*.—Nos. 137, 138, 150, 188, 199, 200, 236, 326, 338, 355, 392, 449 to 456, 472 to 476, 518, 567, 642, 643, 644, 668, 777, 818, 836, &c.; also Nos. 68, 132, 303, 666.

And also the assortments page 4 and 27, all of which can be highly recommended. J. C. has omitted many desirable sorts, which are too well known to require pointing out.

ASSORTMENTS OF FLOWER SEEDS.

No.	h, hardy; lh, half hardy.	s. d.	s. d.
1110	6 fine var. <i>Calliopsis</i> , lh a....	1 6	1141 Mulberry, 3 fine species
1111	7 " <i>Clarkia</i> , ha	1 6	1142 Quince
1112	6 Everlasting Flowers, lh a..	1 6	1143 Raspberry, red and mixed
1113	6 fine <i>Liuaria</i> , ha	1 0	1144 Strawberry, red & white alpine
1114	6 " <i>Nemophila</i> , ha.....	1 6	1145 — British Queen
1115	8 " <i>Oenothera</i> & <i>Godetia</i> , ha	1 6	1146 — various fine sorts mixed
1116	6 " <i>Lobelia</i> , lh	2 0	1147 — finest mix., for preserving
1117	6 " <i>Marigold</i> , bha	1 6	1148 Water Melon, fine mixed
1118	8 " <i>Schizanthus</i> , ha	2 0	
1119	4 " <i>Sweet William</i> , hp ...	1 6	
1120	6 " <i>Wallflower</i> , hp.....	2 0	
1121	50 finest h. Annuals, 10s.; 25	5 0	Achimenes, 12 in 4 fine sorts
1122	" lh. do. 20s.; 25	10 0	Amaryllis <i>Bella-Donna</i> each
1123	50 fine h. perennials, 10s.; 25	6 0	— <i>formosissima</i> "

FLOWERING BULBS.

1118	8 " <i>Schizanthus</i> , ha	2 0	Achimenes, 12 in 4 fine sorts	2 6
1119	4 " <i>Sweet William</i> , hp ...	1 6	Amaryllis <i>Bella-Donna</i> each	1 0
1120	6 " <i>Wallflower</i> , hp.....	2 0	— <i>formosissima</i> "	6
1121	50 finest h. Annuals, 10s.; 25	5 0	— 3 greenhouse sp., each 3s. 6d. for	10 0
1122	" lh. do. 20s.; 25	10 0	— 2 species, South America, each	3 0
1123	50 fine h. perennials, 10s.; 25	6 0	<i>Ammocharis coranica</i> "	4 0
			— <i>falcata</i> , 4s.; <i>glaucha</i> "	4 0
			Anemones, finest new don. per lb.	7 0
			— 100 finest new var. separate	25 0
			— 50 do. 12s. 6d.; 25 do.	7 0
			— fine mixed new single per lb.	4 0

FRUIT SEEDS—per Packet.

1124	Currants, red, white & black	6	<i>Armu</i> , fine new sp. <i>Bolivia</i> , each	5 0
1125	Gooseberry, finest mixed	6	<i>Dahlia</i> , extra fine double, per doz.	15 0
1126	Melou, Beechwood, extra fine	1 0	<i>Gladiolus oppositiflorus</i> , new v. "	2 0
1127	Carter's green flesh	1 0	<i>psittacinus (natalensis)</i> "	1 6
1128	— early Cantaloupe	6	— <i>superbus (gandiveusis)</i> each	2 0
1129	— Evans' scarlet flesh	1 0	<i>Lilium laeocifolium</i> , rubrum "	10 6
1130	— green flesh, fine	6	— <i>albuu</i> "	5 0
1131	— hardest early Cantaloupe	6	<i>Paneratium illyricum</i> "	1 6
1132	— netted Persian	6	<i>Ranunculus</i> , finest mixed, per 100	7 6
1133	— Pekin, nov; and extra fine	1 6	— 100 in 100 ext. fine var. named	20 0
1134	— scarlet flesh	6	— 50 do. do. 10s.; 25 do. do.	5 0
1135	— Snow's prolific	1 0	— mixed Turban Ranunc. per 100	5 0
1136	— Sweet, of Ispahan	1 0	<i>Tigridia Pavonia</i> , 1s. 6d. v. large, doz.	2 6
1137	— Terry's green flesh, extra	1 0	— <i>conchiflora</i> , yellow "	6 0
1138	— Windsor Prize, fine	1 0	— <i>superba</i> , scarlet "	18 0
1139	— fine mixed Melon	6	Tuberoses, double Italian "	4 0
1140	— 12 fine other var. separate	5 0		

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
3 and 4	<i>See note end of page 31.</i>	s. d.	4 to 5		s. d.
Artichoke, green	per oz.	9	Broccoli, Hampsh. gr.	p.oz.	1 6
purple	"	9	Hampton Court	"	1 0
Asparagus, giant, oz. 2d. p. lb.	2 6		Howden's superb	"	1 6
Beans, early Mazagan	p. qt.	6	Impregnated white	"	1 0
early dwarf Fan	"	6	Invisible	"	1 0
— long-pod	"	6	Knight's protecting	"	1 0
— Lisbou do.	"	6	Lake's white	"	1 0
Johnson's Wonderful,	"	6	large Spring purple	"	1 0
Sword long-pod	"	6	— — white	"	1 0
green long-pod	"	6	late close-headed p.	"	1 0
large Windsor	"	8	— purple	"	1 0
— new thick do.	"	8	— white	"	1 0
— Taylor's do.	"	8	Loudon, particular	"	2 6
— green do.	"	8	Miller's late	"	1 0
Beet, fine large red	"	3	new Victoria	"	1 6
new German	"	6	Portsmouth	"	1 0
new black	"	6	Potter's new pink	"	2 6
new dark crimson	"	6	Snow's superb	"	1 0
green	"	3	Sulphur	"	1 0
silver-stalked	"	3	very late Danish	"	1 0
white	"	3	white Southamp.	"	1 0
Silesian sugar	per lb.	2 0	Wilcox's large wh.	"	1 0
Borecole, or Kail, brown p.oz.	3		8 best for succession	"	8 0
green curled dwarf	"	3	4 do. do.	"	5 0
curled tall	"	3	Brussels sprouts, fine	p.oz.	6
new Asparagus	"	6	imported Belgian	"	1 0
Buda	"	6	Cabbage, Atkins' Match.	"	6
variegated, &c. &c.	"	6	Carter's Matchless	"	1 0
Broccoli, car. pur. Cape	"	1 6	early dwarf	"	6
white Cape	"	1 6	— Battersea	"	6
green Cape	"	1 6	— Loudon Market	"	1 0
early Cauliflower	"	1 0	— Nonpareil	"	6
— close-headed	"	1 0	— Sugar-loaf	"	6
— Malta	"	1 0	— Wonder	"	1 0
— October	"	1 6	— York	"	6
— purple	"	1 0	Enfield, new early	"	1 0
— sprouting	"	1 0	large Battersea	"	6
— Walcheren	"	2 0	— Imperial	"	6
— white	"	1 0	— Pomeranian	"	1 0
Adams' new dwarf	"	1 6	— York	"	6
Amerieau	"	1 6	— Drunlh., lb. 3s.	"	3
Brimstone	"	1 0	— Scotch, lb. 3s.	"	3
Chappel's cream	"	1 0	Paignton	"	6
dwarf Siberian	"	1 0	Shilling's Queen	"	6
Ellison's new April	"	2 6	Spotboro' new	"	1 0
Field's new white	"	1 6	Vanack	"	6
Grange's early	"	1 6	6 finest for succession	"	3 6

Month of Sow.	oz. ounce ; lb. pound ; qt. quart.	Price. <i>s. d.</i>	Month of Sow.	pa. packet ; bush. bushel. <i>s. d.</i>	Price.
3 to 9	Cabbage, red Dutch per oz. dwarf red " " Savoy, dwarf green " — Drumhead " — globe " " — yellow " " Couve Tronchuda " 1 0 — new curled " 1 0 Chou de Milan, imp., " 1 0	6 6 6 6 6 6 1 0 1 0 1 0	1 to 10	Cucumbers : Manchester Prize, p. pa. Man of Kent " Roman Emperor " Sion Ilouse* " Snow's white spine " Stewart's Ringleader " 1 0 Superb white spine " 1 0 Victory of England " 1 0 Walker's superb " 1 0 Weedon's frame* " " Young's Champion, &c. 1 0 6 finest varieties 5 0	6 6 6 6 6 6 1 0 1 0 1 0
1 to 10	Carrot, early Horn " early scarlet frame " " long Surrey " " — orange " " — new Brunswick " " Altringham " " white Belgium " "	3 3 3 3 3 3 3	5 to 8	Finest Prize Varieties. Endive, green curled, p. oz. white curled " " Batavian, green " " — white " " new German " "	6 6 6 6 9
1 to 9	Cauliflower, early Engl. " late English " " — Asiatic " " — Cyprus " " Fitch's new late " 2 6 Popart's new early " 2 6 late Dutch " 1 6 Walcheren " 1 6	1 6 1 6 1 6 1 6 2 6 2 6 1 6 1 6	1 to 8	French beans, China dw., qt. dwarf dun " " — dark dun " " — Fulmer's " " — Negro " " — Negro Major " 2 0 — Speckled " 1 3 — Turkey " 2 0 Runners, scarlet " 1 3 — Frechen Haricot " 1 6 Painted Lady " 1 6 Turkey " 2 0	1 3 1 3 1 3 1 3 1 3 2 0 1 3 1 3 1 6 1 6
5 to 6	Cardoon, Spanish " " new large purple " 1 0	6 1 0		Ice plant, garnishing, per pa. Indian Corn, " "	3 3
3 to 5	Celery, solid white " " solid red " " giant red " 4 giant white " 4	3 3 4 4	3 to 5	Leek, London Flag per oz. new Giant " "	6 1 0
	Jones' new Matchl. " 6 new curled Paw " 4 Seymour's white " 4 Wheeler's pink " 6	4 to 5 4 to 5 4 to 5 1 to 8		Lettuce, Cos, Ady's " " Cos, Artichoke-leav. " " — Bath* " " — bl.-seeded do.* " " — broad-leav. do.* " "	1 0 1 0 1 0 1 0 1 0
5 to 7	Chervil, curled " "	4		— Brighton " " — brown " " — Egyptian* " " — Florence " " — green " " — Kensington " " — Nonpareil, w. " " — Nonpareil, gr. " " — Paris " " — Snow's matchl. " " — white " " — white winter* " "	1 0 1 0 1 0 1 0 1 0 1 0 1 6 1 6 1 0 1 6 1 0 1 0
1 to 12	Cress, common per qt. triple curled " " golden " 1 6	1 0 1 6 1 6			
4 to 7	perennial Amer. per oz. 3				
3 to 5	Water-cress per pa. 6				
1 to 10	Cucumber, fine frame " " fine long prickly " 8 fine Ridge " 3 short prickly " 3 Turkey, wh. or gr. " 3 Carter's Champion " 1 0 Colney Hatch, ex.* " 1 0 Cuthill's black spine* " 6	6 8 3 3 3 1 0 1 0 6			

* Best for
Autumn
Sowing.

{ Best for Autumn Sowing.

* Hardiest for Autumn Sowing.

Mouth of Sow.	oz. ounce; lb. pound; qt. quart.	Price. s. d.	Month of Sow.	pa. packet; bush. bushel. s. d.	Price. s. d.
1 to 8	Lettuce, cabbage, wh.* p. oz.	6	3 to 6	Peas, later sorts per qt.	
	Cabbage, Asiatic "	1 0		Carter's Lilliputian "	2 6
	-- brown Dutch* "	6		-- new Colossus "	1 6
	-- Drumhead "	1 0		-- Victoria* "	3 0
	-- hardy Hammers.* "	6		Glory of England "	1 0
	-- Malta "	1 0		Marrow, dwarf wh. "	9
	-- Marseilles "	1 0		-- dwarf green "	9
	-- Mogul "	1 0		-- tall white "	9
	-- new Winter* "	1 0		-- tall green "	9
	-- new pink edged* "	1 0		Woodford's green "	1 6
	-- Tennis ball* "	1 0		Victoria "	1 0
	Silesian, brown* "	1 0		Knight's marrow, d. "	2 0
	-- white* "	1 0		Matchless Marrow "	1 0
	8 finest sorts "	7 0		Bedman's Imperial "	1 0
4 and 5	Love apple or Tomato yellow	1 0		Groom's superb "	9
	" "	1 0		Prussian blue "	8
3 to 6	Mallow, garnishing pa.	3		Queen of the dwarfs "	2 6
1 to 12	Mustard, white p. quart	1 0		Scimitar "	1 0
3 to 8	Onion, blood-red per oz.	6		10 best for succession	15 0
	Deptford* "	6	2 to 6	Potato, early per pa.	1 0
	Globe "	6		late "	1 0
	-- new white "	9		Silver-skin Dutch "	1 0
	James' keeping "	9	5 and 6	Purslain, gr. or gold. per oz.	6
	Lisbon "	6	1 to 9	Radish, long frame per qt.	2 0
	new Giant* "	9		Wood's new frame "	2 6
	Pickling "	9		early scarlet "	2 0
	Portugal, white "	6		early short topt "	2 0
	Reading* "	6		long Salmon "	2 0
	Silver skinned "	9		white Naples "	2 6
	Spanish, white* "	6		red Turnip "	2 6
	-- brown "	6		white Turnip "	2 6
	Strasburg* "	6		mixed Turnip "	2 6
	Tripoli large* "	9		new olive per oz.	2
	Two-bladed early "	6		Spanish, black "	2
	Welch* "	6	4 to 5	Rampion, pa. 3d.	1 0
	6 finest sorts, 2 oz. ea.	7 0	4 to 5	Rhubarb, Victoria "	1 0
4 to 8	Parsley, extra curled "	3		Tobolsk, &c. &e. "	1 0
	Myatt's garnishing "	4		Salsify "	6
	large-rooted "	4	8 and 9	Scandix bulbosa, root "	6
3 to 5	Parsnip, best large "	3	4 to 5	Sezronera "	6
2 to 10	Peas, early Kent per qt.	8	3 to 5	Sea Kail per qt.	2 0
	early frame "	8		Skirret per oz.	8
	-- May "	8		Sorrel "	6
	-- Prince Albert "	1 0	2 to 5	Spinach, round per qt.	1 0
	-- Shilling's Grotto,	1 0	2 to 9	prickly "	1 0
	-- Race-horse "	9		broad Flanders "	1 0
	-- Warwick "	9	3 to 6	New Zealand per oz.	6
	-- Charlton, 2d early "	8		* Carter's Victoria Pea	
	-- Bishop's dwarf "	1 0		warranted superior in size	
	-- Champion of Engl.	5 0		and flavour to any other.	

* Best for Autumn Sowing.

Month. of Sow.	oz. ounce; qt. quart.	Price. s. d.	Month of Sow.	pa. packet; bush. bushel.	Price. s. d.
2 to 5	Squash, fine mixed per pa.	6	4 to 6	Sage per oz. 6d. per pa.	3
2 to 6	Turnip, early Dutch per oz.	3		Savory, Sum. " 1s. "	3
	early Mousetail "	3		— Winter " 1s. "	3
	— Snowball "	3		Thyme " 1s. "	3
3 to 9	— Nousueli "	3	3 to 5	Tobaeco (funigating) "	3
	— stone or stubble "	3		ROOTS, PLANTS, &c.	
	— large white "	3		The Prices variable.	
	yel. Altringham "	3		Artichokes per bush.	
	— Maltese "	3	4 to 6	Asparagus, all sorts per 100	
5 to 6	— stone "	3		Garlic per lb.	
3 to 6	— Swedish "	2		Horse Radish per doz.	
	Teltau, German "	6		Mushroom Spawn per bush.	
	Vegetable Marrow "	6		Potato, early forcing	
				late varieties	
				new do.	
4 to 6	Balm per oz. 1s. per pa.	3		Rhubarb Roots, all sorts, ca.	
	Basil, sweet " 1s. "	3		Shallots per lb.	
	— bush " 1s. "	3		Sea Kale per 100	
	Borage " 6d. "	3		Strawberry Plants "	
	Buglos " 6d. "	3		Raspberry Plants "	
	Burnet " 6d. "	3		And all other Plants and	
3 to 4	Capsicum " 1s. "	3		Seeds for the Kitchen Gar-	
	Chilis " 1s. "	3		den. When sown before the	
4 to 6	Clary " 6d. "	3		usual time in Spring, a hot-	
	Fennel " 6d. "	3		bed frame is required for	
	Florence Fennel " 6d. "	3		Carrot, Cauliflower, Cucum-	
	Hyssop " 6d. "	3		ber, French Beans, Lettuce,	
	Lavender " 1s. "	3		Potato, Radish, &c. Except	
	Marjoram, pot " 1s. "	3		Peas and Beans, nothing	
	— sweet " 1s. "	3		need be sown in the open	
	Marigold, pot " 6d. "	3		ground during the months	
	Rosemary " 1s. "	3		of October, November, De-	
	Rue " 1s. "	3		cemember and January.	
	Wormwood " 6d. "	3			

AGRICULTURAL SEEDS.

The prices of Agricultural Seeds are variable, and cannot be fixed for the whole Season. The following are the present prices of some of the leading articles:—

	s. d.		s. d.
Cabbage, largest Drumhead, per lb.	3 0	Mangel Wurzel, Globe	per lb. 2 0
Carrot, true large Atrineham " 2 0		Parsnip, largest field "	2 0
— largest white Belgium " 2 6		Sugar Beet, Silesian "	2 0
Mangold Wurzel, long red " 2 0		Turnip, large "	9d. to 1 9

	FRUIT TREES.		Dwarfs.		Standards.		Dwarfs, trained.		Standards, trained.	
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Apples, finest sorts			9 to 1 0	2 6	3 6					
Apricots, various, finest	1 6	2 6	3 6	6 0	10 6					
Almonds, fruit-bearing	1 6		3 6							
Cherries, very fine sorts	1 0		2 6	3 6	7 6					
Nectarines, ditto ditto	1 6		3 6	6 0	10 6					
Peaches, ditto ditto	1 6		3 6	6 0	10 6					
Pears, great variety	1 0		2 6	3 6	7 6					
Plums, fine sorts	1 0		2 6	3 6	7 6					
Medlars.....			1 0							
Quinces.....				2 6						

Gooseberries, 12 extra fine large prize varieties, 12s. 50 do. £2 0 0
 Grape Vines, Pine-apple Plants, &c. &c.

** A Catalogue of Genuine Dutch Bulbs will be published in Autumn.

List of a few important and useful works on Botany, &c., to be had of all Booksellers.

- LOUDON'S Arboretum et Fruticetum Britannicum. 8 vols. 8vo. 10*l.*
- Abridged edition, 1 vol. 8vo, 1200 pages and 2200 engravings, 2*l.* 10*s.*
- Encycl. of Cottage, Farm, and Villa Architecture, 1 vol. 2000 engravings, 3*l.*
- Supplement to do. 8vo. 7*s. 6d.*
- Suburban Gardener and Villa Companion. 1 vol. 8vo. 1*l.*
- REPTON'S Landscape Gardening, &c. 1 vol. 8vo. numerous plates. 1*l.* 10*s.* plain, 3*l.* 6*s.* coloured.
- The Suburban Horticulturist. 1 vol. 8vo. 380 engra. 16*s.* An excellent work.
- Mrs. LOUDON'S Ladies' Flower Garden. 4 vols., coloured plates, 8*l.* 18*s.* 6*d.*
- Companion to ditto, 2nd edition. 1 vol. post 8vo. 6*s.*
- LADY'S COUNTRY COMPANION, 2nd Edition, 7*s. 6d.*
- The Amateur Gardener's Calendar. 7*s. 6d.* cloth.
- CURTIS' Botanical Magazine, edited by Sir William Jackson Hooker, monthly; coloured 3*s. 6d.* plain 2*s. 6d.*, each.
- Dr. LINDLEY'S Botanical Register, monthly. 3*s. 6d.* each.
- Sertum Orchidaceum, splendidly coloured, 10 parts. 25*s.* each.
- PAXTON'S Magazine of Botany, monthly. 2*s. 6d.* each.
- Pocket Botanical Dictionary. 15*s.*
- MAUND'S Botanic Garden, ed. monthly, large 1*s. 6d.*, small 1*s.*

KOLLAR'S Treatise on Insects injurious to the Gardener, &c. 1 vol. 8vo. 7*s.*

TAYLOR'S Bee-Keeper's Manual; or Practical Hints, &c. 12mo. 4*s.*

In giving orders for Flower Seeds it is sufficient to mention the numbers and date of the Catalogue, 1848.